Dr C. C. Curran

Notes on

Ranunculaceae

Cyperaceae

Gramineae

Have entered the (Herb--)

notes on the Cards.

WD
(27)

INDEX.

Alismaceae, 42.
Amarantaceae, 3I.
Amaryllidaceae, 39.
Anacardiaceae, 8.
Andreaeaceae, 6I.
Apocynaceae, 26.
Araceae, 42.
Araliaceae, I6.
Asclepidiaceae, 26.
Berberidaceae, 2.
Bignoniaceae, 30.
Borraginaceae, 27.
Bryophytes, 55.
Campanulaceae, 24.
Caprifoliaceae, I6.
Caryophyllaceae, 5.
Celastraceae, 7.
Characeae, 6I.
Chenopodiaceae, 3I.
Cistaceae, 4.
Compositae, I8.
Coniferae, 37.
Convolvulaceae, 27.
Cornaceae, I6.
Crassulaceae, I3.
Cruciferae, 3.
Cucurbitaceae, I5.
Cupuliferae, 35.
Cyperaceae, 43.
Droseraceae, I3.
Elatinaceae, 5.
Equisetaceae, 5I.
Ericaceae, 24.
Eriocauleae, 43.
Euphorbiaceae, 33.
Ficoideae, I5.
Filices, 5I.
Fumariaceae, 3.
Gentianaceae, 27.
Geraniaceae, 6.
Gramineae, 47.
Haloragеae, I4.
Hamamelideae, I4.
Hepaticae, 6I.
Hydrocharidaceae, 37.
Hypericaceae, 5.
Ilicineae, 7.
Illecebraceae, 3I.
Iridaceae, 39.
Juglandaceae, 34.
Juncaceae, 4I.
Labiatae, 30.
Lauraceae, 33.
Leguminosae, 8.
Lemnaceae, 42.
Lentibulariaceae, 29.
Lichens, 62.
Liliaceae, 39.
Linaceae, 6.
Lobeliaceae, 23.
Lycopodiaceae, 53.
Lythraceae, I4.
Malvaceae, 6.
Melastomaceae, I4.
Musci, 55.
Myricaceae, 34.
Najadaceae, 43.
Nymphaeaceae, 2.
Oleaceae, 26.
Onagraceae, I4.
Ophioglossaceae, 53.
Orchidaceae, 37.
Orobanchaceae, 29.
Papaveraceae, 3.
Phytolaccaceae, 32.
Plantaginaceae, 3I.
Platanaceae, 34.
Polygalaceae, 8.
Polygonaceae, 32.
Pontederiaceae, 40.
Portulacaceae, 5.
Primulaceae, 25.
Ranunculaceae, I.
Resedaceae, 4.
Rhamnaceae, 7.
Rosaceae, I0.
Rubiaceae, I7.
Rutaceae, 7.
Salicaceae, 36.
Santalaceae, 33.
Sapindaceae, 7.
Sarraceniaceae, 2.
Saxifragaceae, I3.
Scrophulariaceae, 28.
Selaginellaceae, 54.
Solanaceae, 28.
Sphagnaceae, 60.
Thallophytes, 6I.
Tiliaceae, 6.
Typhaceae, 4I.
Umbelliferae, I5.
Urticaceae, 33.
Verbenaceae, 30.
Violaceae, 4.
Vitaceae, 7.
Xyridaceae, 40.

Miss Frances Zirngiebel, (FZ).
31 Bower St. Roxbury, Mass.
1 Ranunculaceae.
5 Berberidaceae.
6 Nymphaeaceae.
7 Sarraceniaceae.
8 Papaveraceae.
9 Fumariaceae.

Dr. J.R. Webster, (JRW). East Milton, Mass.
10 Cruciferae.
12 Resedaceae
13 Cistaceae.
14 Violaceae.
15 Caryophyllaceae.
16 Portulacaceae.
17 Elatinaceae.
18 Hypericaceae.
20 Malvaceae.

L.L. Dame, (LLD). West Medford, Mass.
21 Tiliaceae.
29 Sapindaceae.
65 Oleaceae.
99 Urticaceae.
100 Juglandaceae.
102 Myricaceae.
103 Cupuliferae,
104 Salicaceae.
106 Ceratophyllaceae.
107 Coniferae.

Sidney Harris, (SH).
Vernon St. Brookline, Mass.
22 Linaceae.
23 Geraniaceae.
24 Rutaceae.
26 Celastraceae.
27 Rhamnaceae.
28 Vitaceae.
30 Anacardiaceae.

T.O. Fuller, (TOF). Needham, Mass.
25 Ilicineae.
49 Araliaceae.
50 Cornaceae.
51 Caprifoliaceae.
52 Rubiaceae.
56 Lobeliaceae.
57 Campanulaceae.
58 Ericaceae.
61 Primulaceae.
66 Apocynaceae.
67 Asclepiadaceae.
69 Gentianaceae.
70 Polemoniaceae.
72 Borraginaceae.

G.L. Chandler & Severance Burrage, (SB)
Auburndale, Mass.
31 Polygalaceae.
32 Leguminosae.
33 Rosaceae.

E.F. Williams, (EFW)
81 Franklin St., Boston, Mass.
35 Saxifragaceae.
36 Crassulaceae.
37 Droseraceae.
38 Hamamelideae.
39 Haloragaceae.
40 Melastomaceae.
41 Lythraceae.
42 Onagraceae.

Miss M.E. Carter, (MEC).
Boston Nat'l Hist'y Soc'y, Boston (Mass.
45 Cucurbitaceae.
46 Cactaceae.
47 Ficoideae.
48 Umbelliferae.

M.L. Fernald, (MLF).
Gray Herbarium, Cambridge, Mass.
55 Compositae.

J.R. Churchill, (JRC).
Sears Building, Boston, Mass.
73 Convolvulaceae.
74 Solanaceae.
75 Scophulariaceae.
76 Orobanchaceae.
77 Lentibulariaceae.
78 Bignoniaceae.
81 Verbenaceae.

Walter Deane, (WD). Cambridge, Mass.
82 Labiatae.
83 Plantaginaceae.
85 Illecebraceae.
86 Amarantaceae.
87 Chenopodiaceae.
88 Phytolaccaceae
89 Polygonaceae.
90 Podostemaceae.
93 Lauraceae.
97 Santalaceae.
98 Euphorbiaceae.

Unassigned.
108 Hydrocharidaceae.
110 Orchidaceae.
113 Iridaceae.
114 Amaryllidaceae.
116 Liliaceae.
117 Pontederiaceae.

G.G.Kennedy. (GGK).
248 Warren St. Roxbury, Mass.
I08 Xyridaceae.
I22 Typhaceae.
I23 Araceae.
I24 Lemnaceae.
I25 Alismaceae.
I26 Najadaceae.
I27 Eriocauleae.

Dr.Chas. W. Swan, (CWS).
79 Worcester St. Boston, Mass.
I2I Juncaceae.
I28 Cyperaceae.
I29 Gramineae.

G. A. Davenport, (GAD).
67 Valley St. Medford, Mass.
I30 Equisetaceae.
I3I Filices.
I32 Ophioglossaceae.
I33 Lycopodiaceae.
I34 Selaginellaceae.
I35 Marsiliaceae.
I36 Salviniaceae.

F. S. Collins, (MI).
97 Dexter St. Malden, Mass.
Algae.

A. B. Seymur, (ABS).
Cambridge, Mass.
Fungi.

Unassigned.
Bryaceae.
Sphagnaceae.
Andreaeaceae.
Hepaticae.
Characeae.
Lichens.

---- o ---

Miss Clara E. Cummings, Wellesley, Mass. (MEC).
Miss Charlotte M. Endicott, Canton, Mass. (CME).
Chas.E. Faxon, Jamaica Plain, Mass. (CEF).
Edwin Faxon, Jamaica Plain, Mass. (EF).
A.H. Fewkes, Newton Highlands, Mass. (AHF).
P.Gallagher, 69 G.St. South Boston, Mass. (PG).
H.A.Horton, 220 Walnut St. Brookline, Mass. (HAH).
Chas.W. Jenks, Medford, Mass. (CWJ).
O.Katzenstein, 206 Chestnut Ave. Jamaica Plain, Mass. (OK).
N.T.Kidder, Milton, Mass. (NTK).
Miss Agnes W. Lincoln, Medford, Mass. (AWL).
Geo F. Perry, 22 Adams St. Melrose, Mass. (GFP).
Henry A. Purdie, 16 Beacon St. Boston, Mass. (HAP).
William P. Rich, 3 No.Market St. Boston, Mass. (WPR).
Mrs.P.D.Richards, West Medford, Mass. (PDR).

I. Ranunculaceae.

Aconitum uncinatum, L. B., r.	Planted. M.	S.	BB.
Actaea alba, Bigel. B., o., coll. fr.	Rocky slopes. M., r., coll. fr.	S.	BB.
Actaea spicata, L., var. rubra, Ait. B.	Damp shady places. M., r.	S.	BB.? r., coll.
Anemone cylindrica, Gray. B., f., coll.	M., f., coll.	S.	BB.
Anemone nemorosa, L., B., c., (Herb. GGK).	Woods and shady fields. M., c. (Herb. WD).	S.	BB. c., ♀He[illegible]
Anemone Virginiana, L., B., o., coll.	Rocky woods. M., o., coll.	S.	BB.
Anemonella thalictroides, Spach., B., f., coll. fr.	Wooded slopes. M., f.	S.	BB.
Aquilegia Canadensis, L., B., c., (Herb. JRC)	Ledges. M., c.	S.	BB. r. coll.
Aquilegia vulgaris, L. B., r., [illegible]	M. [illegible]	S. [illegible]	BB.
Caltha palustris, L. B., c., (Herb. WD).	Swamps. M., c.	S.	BB.
Clematis Virginiana, L. B., f., coll. fl.	Roadsides and moist places. M., f.	S.	BB.
Coptis trifolia, Salisb. B., f., coll. fr.	Swamps and wet woods. M., o.	S.	BB.
Delphinium Consolida, L. B.	M., r., (Herb. MI).	S.	BB.
Hepatica triloba, Chaix. B., o. (Herb. JRC).	Moist ground in woods. M., f., (Herb. WD).	S.	BB.
Paeonia officinalis, Retz. B., r., [illegible]	Planted. M.	S.	BB.
Ranunculus abortivus, L. B., c.	Open woods and slopes. M., o.	S.	BB., f. coll.
Ranunculus abortivus, L. var. micranthus, Gray. B.	M.? r.	S.	BB.

*Ranunculus acris, L. Moist land.
B.,c.,(Herb.GGK). M.,r. S. BL.,c.,coll.I

Ranunculus aquatilis, L. Brooks.
B.?. M. S. BL.

Ranunculus aquatilis,L. var.trichophyllus, Gray. Stagnant pools.
B.,c.,coll.lf. M.,r.,(Herb.MJ). S. BL.

Ranunculus bulbosus, L. Fields.
B.,c.(Herb.GGK). M.,c. S.,c. BL.,c.,coll.

Ranunculus fascicularis, Muhl. Dry slopes.
B. M.,f. S. BL.

Ranunculus multifidus, Pursh. Swamps and pools.
B.,r.(Herb.WD). M. S. BL.

Ranunculus Pennsylvanicus, L.f. Wet shady woods.
B. M., r.,coll.fr. S. BL.

Ranunculus septentrionalis, Poir. Wet open places.
B.,f.,coll. M.,c. S. BL.,c.,coll.

Thalictrum dioicum, L. Damp woods.
B.,f.,(Herb.JRC). M.,c. S. BL.c.coll.lf.

Thalictrum polygamum, Muhl. Swamps and meadows.
B.,coll.fr. M.,f.,coll.fl. S. BL,c.

Thalictrum purpurascens, L. Rocky woods.
B.,c.,(Herb.WD). M.,r.,coll. S. BL.

5.Berberidaceae.

Berberis vulgaris, L.Houssaitos,pastures ,open places.
B.,c. M.,c.,(Herb.MJ). S.,c. BL.

6.Nymphaeaceae.

Brasenia peltata, Pursh. Ponds and streams.
B.,c. M.,c. S. BL.

Nuphar advena, Ait. Stagnant waters.
B.,s.coll.fl. M.,f. S. BL.

Nymphaea odorata, Ait. Ponds.
B.,r.(Herb.GGK). M.,c. S., BL.

7.Sarraceniaceae.

Sarracenia purpurea, L. Bogs and meadows.
B.,c.coll.fr. M.,f. S. BL.

8. Papaveraceae.

Corydalis glauca, Puesh. Upland rocks and ledges.
B.f.coll. M.f. S. BB.

9. Fumariaceae.

Chelidonium majus, L. Housesites and roadsides.
B. M.o. S. BB.c.coll.

Sanguinaria Canadensis, L. Damp woods.
B.r.coll.lf. M.f.v S. BB.olcoll.fr.

10. Cruciferae.

Alyssum maritimum, Lam. Planted.
B.r. M. S. BB.

Arabis Canadensis, L.
B.r.(Herb.GGK). M. S. BB.

Arabis laevigata, Poir.
B. M.o.(Herb.PI). S. BB.

Barbarea vulgaris, R.Br. Housesites and roadsides.
B.f.coll. - M.f. S. M.o.

Barbarea vulgaris, R.Br. var. arcuata, Koch.
B.f. M.o.(Herb.JRC). S. BB.

Brassica campestris, L. Cultivated fields and housesites.
B. M.o. S. BB.

Brassica nigra, Koch. Housesites and roadsides.
B.o.(Herb.JRC). M. S. BB.

Brassica Sinapistrum, Boiss. Roadsides and housesites.
B.o.(Herb.JRC). M. S. BB.

Capsella Bursa-pastoris, Moench. Roadsides and fields.
B.c. M.c. S. BB.

Cardamine hirsuta, L. Shaded wet places.
B.c.(Herb.WD). M.c.(Herb.WD). S. BB.c.coll.

Cardamine hirsuta, L.var.sylvatica, Gaud. Rocky hills.
B.o. M.c. S. BB.

Cardamine rhomboidea, DC.
B. M. S.o. BB.o.

Lepidium Virginicum, L. Roadsides, dumps and housesites.
B.r.coll. M.c. S. BB.

Nasturtium officinale, R.Br. Ditches and brooks.
B. M.o. S. BB.c.(Herb.WD)

Nasturtium Palustre, DC. Meadows and shores.
B. M.c. S. BB.

Raphanus Raphanistrum, L. Wet places; housesites.
B., o. (Herb. JRC). M. S. BB.

Sisymbrium officinale, Scop. Roadsides.
B., c. M., c. S. BB.

I2. Resedaceae.

Reseda lutea, L. Planted.
B., r. M. S. BB.

I3. Cistaceae.

Helianthemum Canadense, Michx. Dry fields.
B., c., coll. M., c., coll. S. BB.

Lechea intermedia, Legg. lt. Dry fields.
B. M., f. (Herb. MI). S. BB.

Lechea major, Michx. Dry woods and fields.
B., f., coll. M., c. S. BB.

Lechia minor, L. Open rocky woods.
B., f., coll. M., f., coll. S. BB.

Lechia minor, L. var. maritima, Gray.
B. M., r., coll.

Lechia tenuifolia, Michx Woodroads.
B., f., coll. M., f., coll. S. BB.

I4. Violaceae.

Viola blanda, Willd. Moist and wet places.
B., f., coll. fr. M., f. S. BB., f. coll. fl

Viola canina, L. var. Muhlenbergii, Gray. Moist woods.
B., o., coll. M. S. BB.

Viola lanceolata, L. Meadows.
B., c., coll. fr. M., c. S., c. BB. c. coll. fl.

Viola palmata, L. var. cucullata, Gray. Swamps; damp woods.
B., c. (Herb. WD). M., f. S. BB.
B., coll. a white fl. form.

Viola pedata, L. Gravelly slopes.
B., c. (Herb. GGK). M., c. S. BB.

Viola primulaefolia, L. Wet open places.
B., o., coll. fl. M., r., coll. S. BB. o. coll. fl.

Viola pubescens, Ait.
B., o., coll. fr. M., r. S. BB.

Viola pubescens, Ait. var. scabriuscula, Torr. & Gray. B.	M.	S.	BB. c. coll.
Viola sagittata, Ait. B., c., coll. fr.	Dry fields and open woods. M., f.	S.	BB.

I5. Caryophyllaceae.

Arenaria lateriflora, L. B.	Low ground. M., r.	S.	BB. f. coll. fl.
Arenaria serpyllifolia, L. B., c. coll.	Dry open and ledgy places. M., c.	S.	BB., c. coll.
Buda rubra, Dumont. B.	Roadsides; housesites. M., c.	S.	BB.
Cerastium vulgatum, L. B. c. (Herb. JRG)	Fields. M., f.	S., c.	BB.
Dianthus caryophyllus, L. B., r.	Planted. M.	S.	BB.
Lychnis Chalcedonica, L. B., r.	Planted. M.	S.	BB.
Lychnis Githago, Lam. B.	Low moist ground. M., r., coll. fl.	S.	BB.
Saponaria officinalis, L. B., f.	Housesites; roadsides.	S.	BB.
Silene Armeria, L. B., c.	Planted. M.	S.	BB.
Silene Cucubalus, Wibel. B., r.			
Silene Pennsylvanica, Michx. B.	M.	S.	BB. r. coll.
Stellaria graminea, L. B., f. (Herb. JRC)	Damp grassy places. M., c.	S.	BB. r. coll.
Stellaria media, Smith. B., c.	Roadsides; housesites; cultivated fields. M., c.	S.	BB.

I6. Portulacaceae.

Portulaca oleracea, L. B., c.	Cultvated ground. M., c.	S., c.	BB. c.

I7. Elatinaceae.

Elatine Americana, Arn. B.	Margins of ponds. M., f. coll. fr.	S.	BB.

I8. Hypericaceae.

Elodes campanulata, Pursh. B., f. coll. fr.	Damp meadows and swamps. M., c., coll.	S., c., coll.	BB., c. coll.
Hypericum Canadense, L. B., c., coll. fr.	Meadows. M., c., coll. fl.	S.	BB.
Hypericum maculatum, Walt. B., c. (Herb. JRC)	M., f. coll. fl.	S.	BB.

Hypericum mutilum, L. Swamps and meadows.
B., c. (Herb. WD). M., c., coll. fl. S. BB.

Hypericum nudicaule, Walt. Ledges; gravelly roadsides.
B., c. (Herb. GGK). M., f. S. BB.

Hypericum perforatum, L. Roadsides and pastures.
B., c., coll. fr. M., c. S. BB.

20. Malvaceae.

Hibiscus Moscheutos, L. Planted-
B., r. M. S. BB.

Malva rotundifolia, L. Roadsides and housesites.
B., c. M., f. coll. S., o. BB., o.

21. Tiliaceae.

Tilia Americana, L. Woods; edges; swamps.
B., f., coll. fr. M., o. S., r. B.

22. Linaceae.

Linum Virginianum, L. Dry woods.
B., c., coll. M., f. (Herb. MI). S. BB.

23. Geraniaceae.

Geranium Carolinianum, L. Rocks in open woods.
B., r. (Herb. JRC). M., r., coll. S. BB.

Geranium dissectum, L.
B. M.?, r. S. BB.

Geranium maculatum, L. Roadsides; edges of thickets.
B., c., coll. fl. M., c. S., c. BB. coll. fl.

Geranium Robertianum, L. Damp rocks in woods.
B., f., col. M., f. S. B.

Impatiens fulva, Nutt. Shaded wet places.
B., c., coll. fl. M., c. S., c. BB., c.

Oxalis corniculata, L. var. stricta, Sav. Roadsides and fields.
B., c. coll. fr. M., c. S. BB.

Oxalis violacea, L.
B. M. S. BB. r. (Herb. WI)

24. Rutaceae.

Ailanthus glandulosa, Desf.	Planted.		
B., r.	M., f.	S.	BE.
Xanthoxylum Americanum, Mill.	Moist ground.		
B.? , r.	M.	S.	BB.

25. Ilicineae.

Ilex glabra, Gray.	Swamp; edge meadow.		
B., r., coll. lf.	M.	S.	BB.
Ilex laevigata, Gray.	Swamps.		
B.	M.	S., o., coll. fr.	BB.
Ilex verticillata, Gray.	Swamps and bogs.		
B., c., coll. fr.	M., c., coll.	S., c., coll. fr.	BB. o.
Nemopanthus fascicularis, Raf.	Swamps and meadows.		
B. c., coll. lf.	M., f.,	S., o.	BB. o. coll. lf.

26. Celastraceae.

Celastrus scandens, L.	Rocky slopes.		
B., c., coll. lf.	M., r.	S.	BB., r. coll. fr

27. Rhamnaceae.

Ceanothus Americanus, L.	Dry woods and slopes.		
B. c. coll.	M., f. (Herb. WD).	S., o., coll.	BB.
Rhamnus cathartica, L.	Dry and moist fields and thickets.		
B., f., coll. fr.	M. f.	S., o.	BB. c. coll. fl.

28. Vitaceae.

Ampelopsis quinquefolia, Michx.	Rocky moist woods.		
B., f.	M., f.	S., o.	BB., o.
Vitis aestivalis, Michx.	Rocky woods.		
B., f. (Herb. JRC).	M., o., coll. lf.	S.	BB.
Vitis Labrusca, L.	Moist rocky places.		
B., f., (Herb. JRC).	M., o.	S.	BB.

29. Sapindaceae.

Acer Pennsylvanicum, L.			
B., r. (Herb. GGK).	M.	S.	BB.
Acer platanoides, L.	Planted.		
B., r.	M.	S.	BB.
Acer rubrum, L.	Very c. wet soil; o. dry soil.		
B., c. (Herb. JRC).	M., c.	S., c.	BB. c. (Herb. WD)
Acer saccharinum, Wang.	Small groups among rocks and planted.		
B., o., coll. lf.	M., o., coll. lf.	S., r.	BB., r.

Aesculus Hippocastanum, L. Planted.
B.,f. H. C. DD.

30. Anacardiaceae.

Rhus copallina, L. Dry fields; ledges.
B.,f.,coll.fl. H.,c. S. BF.

Rhus glabra, L. Fields and low thickets.
B.,f.,coll.lf. H.,f. S.,f. BF.,f.

Rhus Toxicodendron, L. Dry and wet woods and fields.
B.,c.,coll.lf. H.,c. S.,c. BB.,c.

Rhus typhina, L. Pastures and low thickets.
B.,c.(Herb.GGK). H.,f. S. BB.

Rhus venenata, DC. Swamps.
B.,f.(Herb.JRC). H.,f. S.,f. BF.

31. Polygalaceae.

Polygala cruciata, L. Meadows.
B ?.,r.,coll.fl. H. S. BF.

Polygala polygama, Walt. Open places in dry woods.
B.,r.(Herb.GGK). H.,f. S. BB.

Polygala sanguinea, L. Moist and wet places.
B.,c.,coll.fl. H.,f.,coll.fl. S. BF.

Ploygala verticillata, L. Dry open land.
B.,r.,coll. H. S. BF.

32. Leguminosae.

Amphicarpaea monoica, Ell. Woods.
B.,f.,coll. H.,f. S.,c&f,coll. BB.,c.,coll.

Apios tuberosa, Moench. Among bushes in moist ground.
B.,c.,coll.fl. H.,c. S.,c. TB.

Baptisia tinctoria, R.Br. Rocky woods and dry fields.
B.,c.,coll.f. H.,c. S. BB.c.coll.lf.

Desmodium acuminatum, DC. Rocky open woods.
B.,f.,coll.fr. H.,r. B. BF.

Desmodium Canadense, DC. Roadsides and moist open ground.
B.,c.,coll.fl. H. S. BB.

Desmodium canescens, DC. Poor dry soil.
B.,r.,coll.fl. H. S. BB.

Desmodium ciliare, DC.
B.,c.(Herb.GGK). H. S. BB.

Desmodium stapiflorum, Torr. & Gray. Ricky woods.
B.r.coll.fl. M.r.coll.fr. S.r.coll.fr. BB.

Desmodium Dillenii, Darl. Dry woods.
B.c.coll. M. S. BB.

Desmodium Marilandicum, DC. Woods and roadsides.
B.r.(Herb.(GK)); M. S. BB.

Desmodium nudiflorum, DC. Rocky woods and roads.
B.c.coll. M.c.coll.fl: S. BB.
a white fl.form coll.

Desmodium paniculatum, DC. Rocky open woods.
B.f.coll. M.f.coll.fl. S.f. BB.

Desmodium rigidum, DC. Borders of woods.
B.f.coll. M.c.coll.fl. S. BB.

Desmodium rotundifolium, DC. Dry open woods.
B.c.coll. M.c. S.f.coll. BB.

Lespedeza capitata, Michx. Gravelly roadsides and dry open woods.
B.c.coll. M.f. S. BB.

Lespedeza Nuttallii, Darl. Rocky thinly-wooded slopes.
B. M. S.r. BB.

Lespedeza polystachya, Michx. Open woods.
B.c.coll.fl. M.f.coll.fl S. BB.

Lespedeza procumbens, Michx. Dry thin woods.
B.f.coll.fl. M.r. S.c.coll.fr. BB.

Lespedeza reticulata, Pers. Hillsides.
B.c.coll.fl. M. S. BB.

Lespedeza Stuvei, Nutt.var.intermedia, Watson. Rocky woods and slopes.
B.c.coll.fl. M.c.coll.fl. S.c.coll.fl. BB.

Lespedeza violacea, Pers. Roadsides and dry woods.
B.r.coll. M.r.coll.fl. S.r.coll.fr. BB.

Lespedeza Virginica, (L.). Open rocky hillsides.
B. M.r.coll.fl. S. BB.

Medicago lupulina, L. Housesites;roadsides;fields.
B.r. M.c. S. BB.r.c.coll.fl.fr.

Melilotus officinalis, Willd.
B.c. M. S. BB.

Robinia Pseudacacia, L. Housesites and roadsides.
B.c M.f. S.c. BB.r.c

Rubus vis Virginiana, Pers. Slopes and woody paths.
B.f.(Herb.(GK)); M. S. BB.

Trifolium agrarium, L.		Sandy places ans roadsides	
B., f., coll. fl	M., f	S.	BP
Trifolium arvense, L		Roadsides; gravelly soil, ledges.	
B., c., coll. fl.	M., c	S.	BB.
Trifolium hybridum, L		Housesites, roadsides, fields.	
B., o.	M., f	S.	BB., r. coll. f
Trifolium pratense, L.		Housesites; roadsides; fields.	
B., o.	M., f.	S.	BB., c. coll. fl
Trifolium repens, L.		Pastures, Roasides, housesites.	
F., e.	M., c.	S., c.	BB., c.
Vicia Cracca, L.		Moist open ground.	
B.	M., o.	S., o., coll. fl.	BB.
Vicia sativa, L.			
B.	M., r.	S.	BB.

33. Rosaceae.

Agrimonia Eupatoria, L		Old housesites; roadsides; pastures.	
B., o., coll.	M., o.	S.	BB.
Amelanchier Canadensis, Torr. & Gray.		Scattered in wet and dry land.	
B., f. (Herb. GGK).	M., f., coll. fr.	S., o.	BB.
Amelanchier Canadensis, Torr. & Gray, var. oblongifolia, Gray.			
B., f., coll. fr.	M., c.	S	BB.
Crataegus coccinea, L.			
B ?.	M ?.	B.	BB.
Crataegus coccinea, L. var. mollis, Torr. & Gray.			
B.	M ?.	S. (herb. t.w.s.)	BB.
Crataegus Oxyacantha, L.			
B.	M.	S.	BB. f. coll. f
Fragaria vesca, L.		Woods	
B.	M., o., coll.	S.	BB. o. coll. f
Fragaria Virginiana, Duchesne.		Woods and fields.	
B., f., (Herb. JRC).	M., c	S.	BB. f. coll. f
Geum album, Gmel.		Rocky and moist woods.	
B., o. (Herb. GGK).	M., o., coll. fr.	S.	BB. o. coll. f
Geum rivale, L		Meadows	
B.	M., c.	S.	BB. c (Herb. WI
Geum Virginianum.		Roadsides and thickets.	
B.	M.,	S	BB. f (Herb. W

Potentilla argentea, L. B., c	Thin open soil. M., c.	S., c.	BB., c.
Potentilla Canadensis, L B., c. coll. fl	Fields; meadows; roadsides. M., c. (Herb. WD).	S., c.	BB. c. coll. fl.
Potentilla Norvegica, L B., c (Herb. GGK)	Low wet grounds. M., f.	S.	BB.
Prunus Avium, L. B.	M. o	S.	BB.
Prunus Cerasus, L. B., o.	Borders of woods and roads. M., r.	S.	BB.
Prunus Cydonia, L. B.	Near houses. M., r.	S.	BB.
Prunus domestica, L. B.	Housesites. M.	S.	BB., o.
Prunus Pennsylvanica, L. B., f. coll. fl.	Gravelly slopes. M., o.	S., o.	BB.
Prunus pumila, L. B., o. coll. lf.	Hilltops and rocky slopes. M., o.	S.	BB.
Prunus serotina, Ehrh B., o. (Herb. GGK)	Borders of woods. M., f. coll. fl.	S.	BB.
Prunus Virginiana, L. B., o. coll. fl.	Borders of woods. M., c	S.	BB.
Pyrus arbutifolia, L. B., f. coll. fr.	Borders of meadows and fields. M., f.	S., f. coll. fr.	BB.
Pyrus arbutifolia, L. var. melanocarpa, Hook. B., f. coll fr	M., c.	Roadsides, meadows, fields. S.	BB.
Pyrus Aucuparia, Gaert. B., r. (Herb. JRC)	Moist woody places. M., o. coll. lf.	S.	BB. r.
Pyrus communis, L B., r.	Housesites. M., r	S.	BB. r. coll. lf.
Pyrus Malus, L. B., o.	Fields, woods, pastures. M., c.	S.	BB., c.
Pyrus sambucifolia. Cham & Schlecht. B. B.	M., r. coll. lf.	Ledgey slopes. S.	S.
Rosa blanda, Ait. B., r. coll. fr.	Thin woods M	S.	BB.
Rosa carolina, L B., r	M	S.	BB.
Rosa [illegible] B.	Moist low thickets. M., c. coll. fl.	S.	BB. c. coll. fr.

Rosa humilis, Marsh
B.,r.(Herb GGK) H S. BB.f

Rosa lucida, Ehrh. Low thickets.
B.,f.coll.fr H.,f coll.fr S.,f. BB.,f.

Rosa Manettoi, Planted.
B.,r. H. S. BB.

Rosa micrantha, Smith.
B H ?.R S. BB

Rosa subfiginosa, L Pastures.
B.,o. H.,o S. BB.,o

Rubus canadensis, L Dry fields and roadsides.
B.,1 (Herb JRC) H.,c S BB.c.coll.f

Rubus hispidus, L Partial shade.
B.,f.coll.fl H.,f S.,f. BB.,f.

Rubus occidentalis, L Open rocky places in woods
B.,c.coll.fr H.,f coll.fl. S. BB
coll. a yellow barked var

Rubus strigosus, Michx Fields and low thickets.
B.,c coll.lf H.,c. S.,c. BB.c.coll.f

Rubus triflorus, Rich Woods.
B.,f.coll.fl H.,f S. BB.f

Rubus villosus, Ait Open wet and moist places.
B.,c.coll fl M.,c S.,f. BB.c.coll.f

Spiraea betulifolia, Pall. Planted.
B.,r. H. S. BB

Spiraea filipendula, L var. fl. pl., hort. Planted
B.,r. H. S. BB

Spiraea Japonica, L Planted
B.,r. H. S. BB

Spiraea prunifolia, Sieb. Planted
B.,r. H. S. BB.

Spiraea salicifolia, L Meadows: fields: hilltops
B.,c.coll.fr H.,c S.,c.coll.fl. BB.,c

Spiraea sorbifolia, L Planted
B.,r. H. S. BB

Spiraea tomentosa, L Meadows and fields.
B.,o. H. o. S.,o BB.f.

35 Saxifragaceae.

Chrysosplenium Americanum, Schwein.		In springs and brooks.	
Br.. (Herb. J. C. R.).	M., f.	S.	BB., coll.
Deutzia gracilis, Sieb. & Zucc.		Planted.	
B., r.	M.	S.	BB.
Deutzia scabra, Thunb. var. fl. pl, hort.		Planted	
B., r.	M.	S.	BB.
Deutzia scabra, Thunb.		Planted.	
B. , r.	M.	S.	BB.
Hydrangea paniculata, Sieb. var. grandiflora, hort.		Planted.	
B., r.	M.	S.	BB.
Philadelphus coronarius, L.		Planted	
B. r.	M.	S.	BB.
Philadelphus Gordonianus, Lindl.		Planted.	
B., r.	M.	S.	BB.
Ribes oxycanthoides, L.		Stony moist slopes.	
Ribes rubrum, L.			
B. r. (coll.)	M., r. (Herb. MI).	S.	BB.
Ribes rubrum, L, var, subglandulosum, Max.		Roadsides.	
B.	M. r.	S.	BB.
Saxifraga Pennsylvanica, L.		Moist ground.	
B. f.	M. f.	S.	BB. c (Herb
Saxifraga Virginiensis , Michx.		Moist ledges.	
B. f.	M. c. (Herb. MI).	S.	BB.

36 Crassulaceae.

Penthorum sedoides, L.		Bogs and shores.	
B. r. (Herb)	(GGK).	S.	BB.
Sedum Telephium, L.		House-sites and roadsides.	
B.	M. r.	S.	BB.
Sedum ternatum, Michx.		Planted.	
B.	M. r.	S.	BB
Sempervivum tectorum, L.		Planted.	
B.	M., r.	S.	BB.

37 Droseraceae.

Droseria intermedia, Hayne, var, Americana, DC.		Meadows.	
B. f. (Herb. GGK).	M., f. coll, fr.	S.	BB.
Drosera rotundifolia, L.		Meadows.	
B. f. coll.	M.	S.	BB.

38. Hamamelidere.

Hamamelis Virginica, L.	Moist shady woods.		
B.c.coll.fr.	M.c.	S.c.	BB.c.coll.fr.

39. Haloragaceae.

Callitriche heterophylla, Pursh.	Under water.		
B.	M.r.coll.	S.	BB.
Callitriche verna, L.	Under water.		
B.c.(Herb.WD).	M.c.coll.	S.	BB.
Myriophyllum ambiguum, Nutt.var. capillaceum, Torr.& Gray.			Shores;
B.	M.r.coll.	S.	BB.
Proserpinaca palustris, L.	Swamps and pools.		
B.o.(Herb.JRC).	M.o.coll.fr.	S.	BB.

40. Melastomaceae.

Rhexia Virginica, L.	wet sandy or gravelly soil.		
B.r.	M.	S.	BB.

41. Lythraceae.

Decodon verticillatus, Ell.	Bogs.		
B.o.(Herb.GGK).	M. o.	S.f.	BB.
Lythrum Hyssopifolia, L.	Meadows.		
B.r.	M.	S.	BB.

42. Onagraceae.

Circaea Lutetiana, L.	Moist shady places.		
B.r.coll.	M.r.	S.	BB.r.(HerbWD).
Epilobium adenocaulon, Haussk.	Bogs.		
B.r.coll.fl.	M.f.coll.fl.	S.	BB.
Epilobium angustifolium, L.	Low wet ground.		
B.c.coll.fl.	M.f.coll.fl.	S.f.coll.fl.	BB.
Epilobium coloratum, Muhl.			
B.o.(Herb.JRC).	M.	S.	BB.
Epilobium glandulosum, Lehm.	Wet ground.		
B.	M.o.	S.	BB.

Epilobium linuare, Muhl. Borders of swamps.
R c.coll.fl. M.f.coll.fl. S. BB

Ludwigia palustris, Ell Bogs and meadows.
B f.(herb.JKC) M.f. S. BB.

Oenothera biennis, L. Roadsides and housesites.
B f. . L f S DB.

Oenothera parvi'a, L. Wet places.
B f Mab (GdK) M f. S. BB.

46. Cucurbitaceae.

Echinocystis lobata, Torr.& Gray. Roadsides.
B. M.r. S. BB.

47. Ficoidsae.

Mollugo verticillata, L. House sites and roadsides.
B c.coll. M. S. BB.

48. Umbelliferae.

Carum Carui, L. Housesites and roadsides.
B. M.c.(Herb.JKC). S. BB.

Cicuta bulbifera, L. Streams;ditches;bogs.
B c.coll M.f. S. BB.

Cicuta maculata, L. Meadows.
B.c. M.f.coll. S. BB.

Conium maculatum, L. Meadows.
B.c.coll. M. S. BB.

Daucus Carota, L. Roadsides and fields.
B. M.c. S. BB.

Hydrocotyle Americana, L. Low damp woods.
B.f. M.f. S. BB

Osmorrhiza brevistylis, DC. Damp woods and swamps.
B. M.f.(Herb.MI). S. BB.f.coll.fl.

Pastinaca sativa, L. Housesites ans roadsides.
B.f.coll. M. S. BB.

Sanicula Marilandica, L. Woods.
B.c.coll.fr. M.f.coll.fr. S. BB

Sium Carsonii, Durand. Running water.
B x.coll.lf M. S. BB.

Sium cicutifolium, Schl. Wet places.
B. M. S.f.

49. Araliaceae.

Aralia hispida, Vent. Stony land.
B.f.coll. M.c.(Herb.MI). S. BB.

Aralia nudicaulis, L. Woods.
B.c.coll.lf. M.c. S. BB.c.coll.lf.

Aralia racemosa, L. Wooded slopes.
B.r.coll. M.r.coll.fl. S.BB.

50. Cornaceae.

Cornus alternifolia, L.f. Moist places.
B.c.(Herb.GGK). M.f. S.c. BB.c.

Cornus Canadensis, L. Woods.
B.r.coll.lf. M.c. S.c.coll.fl. BB.

Cornus circinata, L'Her. Base of ledges.
B.c.coll. M.r.coll.fr. S.r. BF.

Cornus florida, L. Dry and moist rocky slopes.
B.c.(Herb.JRC). M.f. S.f.coll.lf. BB.

Cornus paniculata, L'Her. Roadsides; dry open land.
B.c.coll. M.c S.r.coll. BB.c.

Cornus sericea, L. Wet ground.
B.f.coll.fr. M.f. S.f.coll.lf. BB.c.

Nyssa sylvatica, Marsh. Swamps.
B.c. M.c. S.r.coll.fr. BB.

51. Caprifoliaceae.

Diervilla trifida, Moench. Rocky open woods and hilltops.
B.c.coll. M.f. S.f. B.

Lonicera Japonica, Thunbg. Planted.
B.r. M. S. BB.

Lonicera sempervirens, Ait. Escaped?
B.r.(Herb.GGK). M.r. S. BB.

Lonicera Tatarica L. Planted.
B.(herb. C.W.S.) M.r. S. BB.

Sambucus Canadensis, L. Meadows and swamps.
B.f. M.c. S.c.coll.fr. BB.c.

Sambucues racemosa, L. Rocky and shady slopes.
B.r.coll.fl.(+herb CWS) M. S. BB.

Triostemum perfoliatum, L. Brooksides; moist woods.
B.c.(Herb.WD)(+CWS) M.c. S. BB.

Viburnum acerifolium, L. Woods.
B.c.coll.fr. M.c. S.c.coll.fr. BB.

Viburnum cassinoides, L. Moist woods.
B.o.coll. M.o. S.occoll.fr. Bn.

Viburnum dentatum, L. Swamps; moist woods and fields.
B.o.coll.fr. M.c. S.f. BB.o.coll.lf.

Viburnum Lentago, L. Clearings and rocky borders of swamps.
B.o.coll.fl. M.o.coll.fl. S. BB.f.cpll.

52. Rubiaceae.

Cephalanthus occidentalis, L. Bogs and meadows.
B.c.coll.fr. M.f.coll.fl. S.c. BB.f.

Galium Aparine, L. Meadows and damp woods.
B. M.f. S. BB.

Galium asprellum, Michx. Wet ground.
B.o.coll. M.f. S. BB.

Galium boreale, L. Plantd.
B.r. M. S. BB.

Galium circaecans, Michx. Dry woods.
B.f. (Herb.GGK). M.f.coll. S. BB.

Galium lanceolatum, Torr.
B.c.coll. M.o.coll. S. BB.

Galium pilosum, Ait. Woods.
B.o.coll.fr. M.r.coll.fr. S. BB.

Galium trifidum, L. Meadows.
B.c.(Herb.JHC). M.c.coll. fr. S. BB.

Galium trifidum, L. var latifolium, Torr. Moist land.
B. M.r. S. BB.

Galium triflorum, Michx. Moist woods.
B.o.coll. M.r. S. BB.

Galium verum, L.
B. M. S.r.(Herb.BINHS). BB.

Houstonia purpurea, L. var. longifolia, Gray. Rocky slopes.
B.f.coll. M.o.coll. S. (herb. U.W.S.) BB.

Mitchella repens, L. Woods.
B.c.coll.fr. M.c. S.c. BB.c.

55. Compositae.

Achillea Millefolium, L. Woodroads, rocks, about houses.
B.c. M.c. S. BB.

Achillea Ptarmica, L. var.fl.pl. hort. Planted.
B.r. M. S. BB.

Ambrosia artemisiaefolia, L.
B.c.coll.fl. M.c. S. BB.c.

Anaphalis Margaritacea, Benth.& Hook. Dry open woods and fields.
B.c.coll.fl. M.f.coll.fl. S. BB.

Antennaria plantaginifolia, Hook. Thin poor soil.
B.f.(herb.JRC). M.f. S. BB.

Anthemis Cotula, DC. Housesites and roadsides.
B.c. M.c.coll.fl. S.c. BB.c.

Arctium Lappa, L. About houses and waste places.
B.c. M.c. S.c. BB.c.

Artemisia biennis, Willd. Old cultivated fields.
B.r.coll.fl. M. S. BB.

Artemisia vulgaris, L. Roadsides; housesites.
B.c.(Herb.JRC). M. S. BB.

Aster acuminatus, Michx. Rocky banks and damp valleys.
B.f.coll. M.f.coll.fr. S.c. BB.

Aster cordifolius, L. Rocky woods.
B.f.coll.fl. M.f. S. BB.

Aster corymbosus, Ait. Dry woods.
B.f.coll. M.f. S.f. BB.

Aster diffusus, Ait. Woods.
B.c.(Herb.GGK). M.f. S.c. BB.

Aster dumosus, L. Moist land.
B.c.coll. M.c.coll.fl. S. BB.

Aster ericoides, L.
B. M ?.r.coll.fl. S. BB.

Aster Herveyi, Gray.
B.r.coll.lf ?. M. S. BB.

Aster infirmus, Michx.
B.c. M.c. S.r.coll. BB.

Aster junceus, Ait.
B.r.(Herb.GGK). M. S. BB.

Aster laevis, L. Roadsides.
B.f.(Herb.WD). M.c. S. BB.

Aster linariifolius, L. Dry fields and open woods.
B.c.coll.fl. M.c.coll.fl. S.c. BB.

Aster macrophyllus, L. Moist rocky woods.
B.f.Herb.(EFW). M.o.coll.fl. S.o.coll. BB.

Aster multiflorus, Ait. Dry open land.
B. M.o. S. BB.

Aster nemoralis, Ait.
B.r.(Herb.JRC). M. S. BB.

Aster Novae-Angliae, L.
B.r.coll. M. S. BB.

Aster Novi-Belgii, L. Low ground.
B.c.(Herb.GGK) M.c. S. BB.

Aster paniculatus, Lam. Wet ground.
B. M.o.coll. S. BB.

Aster patens, Ait. Dry woods.
B.c.coll. M.c. S. BB.

Aster puniceus, L.
B. M. S. BB.r.coll.

Aster puniceus, L.var. laevicaulis, Gray. Wet ground.
B.r.(Herb.EFW). M. S. BB.

Aster spectabilis Ait.
B.r.(Herb.EFW). M. BB. BB.

Aster umbellatus, Mill. Rocky woods.
B.c.coll. M.f.coll. S.c. BB.

Aster undulatus, L. Dryopen woods and fields.
B.c.(Herb.GGK). M.c. S.c. BB.

Aster vimineus, Lam. Meadows and low ground.
B.c.(Herb JRC). M.c. S. BB.

Bidens Beckii, Torr. Pools and slowly moving water.
B.r.coll.fl. M. S. BB.

Bidens cernua, L. Bogs and ditches.
B. M.f.coll.fl. S. B.o.coll.

Bidens connata, Muhl. Wet open ground.
B. M.c.coll. S.o.coll.fl. BB.

Bidens frondosa, L. Wet and dry.low open ground.
B.c.coll. M.c.coll. S.o.coll.fl. B.c.

Centaurea Cyanus, L. Planted.
B.r. M. S. BB.

Centaurea nigra, L. Roadsides and houesites.
B ?.r.(Herb.JhC). M.o. S. BB.

Chrysanthemum Leucanthemum, L. Roadsides and fields.
B.c. M.c. S. BB.c.

Chrysanthemum Parthenium, Pers. Houesites.
B.r.coll.fl. M. S. BB.

Cichorium Intybus, L. Roadsides.
B. M.f. S. BB.

Cnicus arvensis, Hoffm. Roadsides and fields.
B. M.f. S. BB.

Cnicus lanceolatus, Hoffm. Fields and roadsides.
B.o.coll.fr. M.c. S. BB.

Cnicus muticus, Pursh.
B.o.(Herb.JhC). M. S. BB.

Cnicus pumilus, Torr. Pastures.
B.c. M.f.coll.fl. S. BB.

Erechtites hieracifolia, Raf. Open damp woods.
B.f.coll.fl. M.f. S. f. BB.

Erechtites hieracifolia, Raf. forma ambigua, DC.
B.r.(Herb.GdK). M. S. BB.

Erigeron annuus, Pers. Roadsides and wet places.
B. M.f. S. B_R.

Erigeron bellidifolius, Muhl. Dry fields and open woods.
B.o.coll.fl. M.f. S. BB.o.coll.fl.

Erigeron Canadensis, L. Roadsides and fields.
B.f. M.c. S. BB.

Erigeron Philadelphicus, L.
B.r.(Herb.JhC). M. S. BB.

Erigeron strigosus, Muhl. Roadsides and fields.
B.c.coll.fl. M.f. S. BB.o.coll.fl.

Eupatorium ageratoides, L. Roadsides.
B. M.r. S. BB.

Eupatorium aromaticum, L.
B.f.(Herb.WD). M.o.(Herb.MI). S.collfl. BB.

Eupatorium perfoliatum, L. Swamps and meadows.
B.c.coll.fl. M.f. S.o. BB.

Eupatorium purpureum, L. Meadows and swamps.
B.c.coll. M.c. S. BB.

Eupatorium purpureum? L. var. amœnum, Gray.
B.r.coll.fl. M. S. BB.

Eupatorium rotundifolium, L.var. ovatum, Torr.
B ?.r.coll. M. S. BB.

Eupatorium sessilifolium, L. Rocky slopes.
B.c.coll. M. S. BB.

Eupatorium, teucrifolium, Willd. Low woods and moist thickets.
B.f.coll.fr. M.e.cl.. S.e.coll.fr. BB.

Gnaphalium decurrens, Ives. Ledges.
B.r.coll. M (herb. GWS)

Gnaphalium polycephalum, Michx. Woods and fields.
B.e.coll.fl. M.e.coll. S.r. BB.

Gnaphalium uliginosum, L. Open ground.
B.c.coll.fl. M.c.coll.fl. S.c. BB.

Helianthus annuus, L. Housesites and waste places,
B. M.r. S. BB.

Helianthus divaricatus, L. Edges; dry thickets.
B.c.coll.fl. M.c. S.e.coll.fl. BB.

Hieracium Gronovii, L.
B. M. S ?.r. BB.

Hieracium Marianum , Willd.
B.r.(Herb.GGK). M. S. BB.

Hieracium paniculatum, L. Dry woods.
B.c.coll. M.c.coll. S. BB.

Hieracium scabrum, Michx. Dry woods.
B.f.coll. M.f.coll. S.f.coll.fl. BB.

Hieracium venosum, L. Dry open woods.
B.c.coll.fl. M.c. S.c.coll.fl. BB.

Krigia Virginica, Willd. Ledges and dry pastures.
B.e.coll. M.f. S. BB.

Lactuca Canadensis, L. Moist shrub thickets.
B.c.coll. M.f. S.e.coll.fr. BB.

Lactuca hirsuta, Muhl. Woods.
B.r.coll.fr. M.r.(Herb.MI). S. BB.

Leontodon autumnalis, L. Fields and roadsides.
B.c.coll.fl. M.c. S. BB.e.

Mikania scandens, Willd. Bushy meadows.
B.e.coll. M. S. BB.e.coll.fr.

Prenanthes alba, L. Woods.
B.e.coll.fl. M.f.coll. S.e. BB

renanthes serpentaria, Pursh.
B.c.coll. Mc.coll.fl. S.c.coll. Bp.

.udbeckia hirta, L. Fields.
B. M.f. S. BB.

Senecio aureus, L. Meadows.
B.f.(Herb.GdK). M.f. S. BB.c.coll.fl

Senecio aureus, L.var. Balsamitae, Torr.& Gray. Rocky, open woods.
B. M.r. S. BB.

Sericocarpus conyzoides, Nees. Rocky woods; roadsides.
B.c.coll. M.c.coll.fr. S.c.coll.fr. BB.

Sericocarpus solidagineus Nees. Dry woods and hilltops.
B.c.coll. M.r.coll.fl. S. BB.

Solidago arguta, Ait.
B.c.coll. M.f. S. BB.

Solidago bicolor, L. Dry woods and roadsides.
B.c.coll. M.c. S.c. BB.

Solidago caesia, L. Woods.
B.f.(Herb.GdK). M.c. S.c. Bp.c.

Solidago Canadensis, L. Meadows; fields; roadsides.
B.c. M.c. S.c. BB.c.

Solidago canadensis, L. var. glabrata, Porter.
B.r.coll.fl. M. S. BB.

Solidago Canadensis, L. var. procera, Torr.& Gray.
B.r.coll.fl. M. S. BB.

Solidago juncea, Ait. Rocky open woods.
B.c.coll.fl. M.c.coll.fl. S. BB.

Solidago lanceolata, L. Moist ground and borders of woods.
B.f.coll.fl. M.f. S. BB.

Solidago latifolia, L. Moist foot of ledges.
B.c.coll.fl. M.c.coll.lf. S. BB.

Solidago neglecta, Torr.& Gray. Moist places.
B.c.coll.fl. M.c. S.c.coll.fl. Bp.

Solidago nemoralis, Ait. Roadsides.
B.c.coll.fl. M. S. BB.

Solidago odora, Ait. Open ground and dry woods.
B.f.coll. M.f.coll. S.c. BB.

Solidago puberula, Nutt. Dry fields and open woods.
B.c.coll. M.c.coll. S. BB.

Solidago rugosa, Mill. Edge meadows and in fields
B.f.coll. M.f. S. EE.

Solidago rugosa x serotina (?), Swamps.
B. M.r. S.r coll. EF

Solidago serotina, Ait. Moist ground
B.o.coll. M.f. S. EJ.

Solidago serotina ?Ait. var. gigantea, Gray. Moist and wet places
B.c.(Herb.JRC). M.f.coll.fl S.f coll.fl. EE

Solidago ulmifolia, Muhl. Damp woods and fields
B.c.coll. M.c.coll.fl. S.c.coll fl. BB

Sonchus asper, Vill. Housesites; roadsides; fields.
B. M.f. S. FB.

Sonchus oleraceus, L. Fields and waste places.
B. M.r.coll.fr. S. FJ.

Tanacetum vulgare, L. Housesites and roadsides.
B.c.coll.fl. M.c. S. EB.

Taraxacum officinale, Weber. Open fields.
B.c. M.c. S.c. F9,c coll.fl.

Taraxacum officinale, Weber, var. glaucescens, Koch. Slopes.
B. M. S. EE.r coll.fr.

Xanthium Canadense, Mill. var.echinatum, Gray. Waste places,housesites
B.r.(Herb.JRC). M. S. EL.

56. Lobeliaceae.

Lobelia cardinalis, L. Meadows; swamps in partial shade.
B.f.coll.fl. M.f. S.c. EE.

Lobelia inflata, L. Moist open fields and roadsides.
B.f.coll. M.f.coll.fl. S. BB.

Lobelia spicata, Lam. Wet ground.
B. M.f. S. BI.

57. Campanulaceae.

Campanula aparinoides, Pursh.
B.o.(Herb.GGK). M.o. S. BB.

Campanula divaricata, Michx. Planted.
B.r. M. S. BB.

Platycodon grandiflorus, DC. Planted.
B.r. M. S. BB.

Specularia perfoliata, A.DC. Rocks and open woods.
B.f.(Herb.JRC). M.f. S. BB.

58. Ericaceae.

Andromeda ligustrina, Muhl. Thin woods and moist land.
B.coll.fr. M.c. S.c. BB.c.

Arctostaphyles Uva-ursi, Spreng. Hilltops,.
B.f.coll.fr. M.f. (herb CWS) S.o. BB.

Cassandra calyculata, Don. Boggy places.
B.o. M.f. S.c.coll.fr. BB.

Chimaphila maculata, Pursh. Dry woods.
B.o.(Herb.JRC). M.r. S. BB.

Chimaphila umbellata, Nutt. Dry woods.
B.f.coll. M.f. S.f.coll. BB.

Clethra alnifolia, L. Swamps and wet woods.
B.c.coll.fl. M.f.(Herb.WD). S.c.coll. BB.

Epigaea repens, L. Woods.
B.r.(Herb.JRC). M. S. BB.

Gaultheria procumbens, L. Bushy pastures and woods.
B.c.coll.fl. M.c. S. BB.

Gaylussacia frondosa, Torr. & Gray. Dry wooded slopes.
B.f.coll. M.f. S. BB.

Gaylussacia resinosa, Torr. & Gray. Thin woods and dry fields.
B.c.coll. M.c. S.c.coll. BB.c.

Kalmia angustifolia, L. Open places in woods.
B.o. M.f. S.f.coll.fl. BB.o.

Kalmia latifolia, L. Moist rocky hillsides.
B.r.coll.fr. M. S. BB.

Leucothoe racemosa, Gray. Wet ground.
B.o.coll. M.o.coll.fl. S.r.coll. BB.

Moneses grandiflora, Salisb.
B. M.o. S. BB.

Monotropa Hypopitys, L. Damp woods.
B.o.coll.fr. M.f. S. BB.

Monotropa uniflora, L. Woods.
B.o.coll. M.f. S. BB.

Pyrola chlorantha, Swartz. Woods.
B. " M.r. S. BB.

Pyrola elliptica, Nutt. Woods.
B.f.coll.fr. M.c.coll.fl. S. BB.

Pyrola rotundifolia, L. Woods.
B.f.(Herb.JRC). M.o. S.o. BB.

Rhododendron nudiflorum, Torr. Woods.
B.r. M. S. BB.

Rhododendron Rhodora, Don. Swamps.
B.o.(Herb.JRC). M.r. S. BB.

Rhododendron viscosum, Torr. Bogs and swamps.
B.o.coll.fr. M.f. S.o.coll. BB.

Rhododendron viscosum, Torr.var. glaucum, Gray. Borders of swamps.
B.r.coll.lf. M.f. S.r.coll.fr. BB.

Vaccinium corymbosum, L. Moist and wet open places.
B.o.(Herb.WD-. M.f. S. (Herb. C.W.S.) BB.r.coll.fl.

Vaccinium corymbosum, L.var. amoenum, Gray. Moist open places.
B.o.(Herb.GGK). M. S. BB.

Vaccinium corymbosum, L.var. atrococcum, Gray. Moist open ground.
B. M.f. (Herb. C.W.S.) S. BB.

Vaccinium macrocarpon, Ait. Wet open land.
B.c.(Herb.JRC). M.c. S.c.coll.fl. BB.

Vaccinium Pennsylvanicum, Lam. Hilltops and open pastures.
B.f.coll.fr. M.c. S.c. BB.o.

Vaccinium vacillans, Soland. Upland woods.
B.c.coll. M.c. S.c.coll. BB.c.

61. Primulaceae.

Hottonia inflata, Ell. Stagnant water.
B. M.r.(Herb.MI). S. BB.

Lysimachia nummularis, L. Moist fields.
B. M.r. S. BB.

Lysimachia quadrifolia, L. Open woods and low ground.
B.c.coll.fr. M.c. S.f.coll. BB.

Lysimachia stricta, Ait. Meadows.
B.f.(Herb.GGK). M.o. (herb. le.W.S.) S, BB.

Lysimachia thyrsiflora, L. Swamps and bogs.
B. M.r. S. BB.

Lysimachia vulgaris, L. Planted,
B.r. M. S. BB.

Steironema iliatum, Raf. Bogs and meadows.
B.r.coll. M.r. S. BB.

Steironema lanceolatum, Gray. Meadows.
B.r.coll. M.o. S.o.coll.fl. BB.r.(Herb.WD)

Trientalis Americana, Pursh. Damp Woods.
B.f.(Herb.WD). M.c. S. BB.

65. Oleaceae.

Fraxinus Americana, L. Woods and fields.
B.o. M.c. S.o. BB.f.

Fraxinus pubescens, Lam. Near and in swamps.
B.o. M.r.(Herb.JAC). S.r. BB.r.

Fraxinus sambucifolia, Lam. Swamps.
B.o.coll. M. S.r. BB.r.

Ligustrum vulgare, L. Housesites ;pastures ; ledges.
B.f.coll.fr. M.c. S.c. BB.o.

Syringa vulgaris, L. Planted.
B.r. M. S. BB.

66. Apocynaceae.

Apocynum androsaemifolium, L. Fields and open woods.
B.f.coll.fr. M.f. S.o. BB.

Apocynum cannabinum , L.
B. M.r.coll.lf. S. BB.

67. Asclepidiaceae.

Asclepias Cornuti, Done. Roadsides.
B.c. M.c. S. BB.

Asclepias incarnata, L.var.pulchra, Gray. Bogs and roadsides.
B.o.coll. M.f.coll.fl. S.o.coll.fl. BB.

Asclepias phytolaccoides, Pursh. Roadsides; open woods in small patches.
B.c.coll.fr. M.r. S.r. BB.

Asclepias purpurascens, L. Roadsides.
B ?.r. M. S. BB.

Asclepias quadrifolia, L. Rocky woods.
B.c.(Herb.WD) M.c. S.(Herb.C.W.S.) BB.

Asclepias verticillata, L. Hilltops.
B. M. S.r.coll.fr. BB.

69. Gentianaceae.

Bartonia tenella, Muhl. Swamps.
B.c.coll.fl. M. S. BB.

Gentiana crinita, Froel. Low meadows.
B ?.r. M. S. BB.

Limnanthemum lachunosum, Griseb.
B.r.(Herb.GGK). M. S. BB.

Menyanthes trifoliata, L. Bogs.
B.r. M. S. BB.

72. Borraginaceae.

Cynoglossum officinale, L. Roadsides.
B. (Herb.JRC). M.r.(Herb.WD). S. BB.

Echium vulgare, L. Roadsides and fields.
B. M.r. S. BB.

Myosotis laxa, Lehm. Meadows and streams.
B. M.c. S. BB.c.coll.

Myosotis palustris, With. Pond edge.
B. M. S. BB.c.coll.

Myosotis verna, Nutt. Thin soil.
B.r. M.c.(Herb.WD). S. BB.

73. Convulvulaceae.

Calystegia sepium, L. Planted.
B.r. M. S. BB.

Cuscuta Gronovii, Willd. Moist thickets.
B.f.coll.fl. M.f. S.f.coll. BB.

Ipomaea hederacea, Jacq.
B.r.(Herb.JHK). M. S. BB.

Mimulus ringens, L. Meadows and swamps.
E.f.coll.fl. [illegible].c. S. BB.

Pedicularis Canadensis, L. Woods and moist fields.
B.f.coll.lf. M.c.(Herb.WD). S. BB.

Verbascum Thapsus, L. Roadsides and pastures.
B.c. M.f. S. BB.

Veronica arvensis, L. Roadsides and cultivated fields.
B.(herb.B.W.S.) M.f.coll.fl. S. B[illegible].c.(Herb.WD

Veronica officinalis, L. Open grassy places in low woods.
B. M.c.coll.fl. S. BB.

Veronica peregrinn, L. Meadows.
B. M. S. BB.c.(Herb.WD)

Veronica scutellata, L. Wet places.
B.c.coll.lf. M.f. S. BB.f.coll.fl.

Veronica serpyllifolia, L. Fields.
B.c.coll.fl. M.c. S. BB.f.coll.fl.

76. Orobanchaceae.

Aphyllon uniflorum, Gray. Among bushes.
B.r.(Herb.GGK). P.r.coll.fl. S. BB.

Conopholis Americana, Wallroth.
B. P.r.(Herb.DNHS). S. BB.

Epifagus Virginiana, Bart. Beech woods.
B.c.(Herb.JHC). M. S. BB.

77. Lentibulariaceae.

Utricularia intermedia, Hayne. Bogs.
B.r.(Herb.JHC). M. S. BB.

Utricularia gibba, L. Wet sand.
B. P.r.(Herb.M'I). S. BB.

Utricularia purpurea, Walt. Shallow water.
B. M.f.(Herb.M'I). S. BB.

Utricularia vulgaris, L. Ditches.
B. M.c. S. BB.

7I. Bignoniaceae.

Catalpa bignonioides, Walt. Planted.
B.r. M. S. BB.

8I. Verbenaceae.

Verbena hastata, L. Meadows and wet pastures.
B.o. M.o. S. BB.

Verbena urticaefolia, L. Meadows and wet pastures.
B. M.f. S. BB.

8E. Labiatae.

Brunella vulgaris, L. Open woods and fields.
B.c. M.c. S.c. BB.c.

Galeopsis Tetrahit, L. Woodsites and waste places.
B ?.r.coll. M. S. BB.

Hedeoma pulegioides, Pers. Ledges dry fields.
B.c.coll. M.c.coll.fr. S. BB.

Leonurus Cardiaca, L. Roadsides and waste sites.
B.r.coll.fr. M.c.coll. S. BB.

Lycopus sinuatus, Ell. Meadows ; swamps ; roadsides.
B.c.coll.fl. M.c. S. BB.

Lycopus Virginicus, L. Meadows ; swamps ; roadsides.
B.r.(Herb.WD). M.f.coll.fl. S. BB.

Mentha Canadensis, L. Meadows; planted.
B.r. M.f.coll.fl. S. BB.

Nepeta Cataria, L. Roadsides ; housesites and planted.
B.c. M.r. (Herb.C.W.S.) S. BB.

Nepeta Glechoma, Benth. Roadsides and housesites
B.c.coll.lf. M.r. S. BB.

Pycnanthemum clinopodioides, Gray. Dry slopes.
B.r.(Herb.GGK). M. S. BB.

Pycnanthemum incanum, Michx. Dry slopes and ledges.
M.f.coll.fl. S. BB.

Pycnanthemum linifolium, Pursh. Rocky hillsides.
B.r.coll.fl. M. S. BB.

Pycnanthemum muticum, Pers.
B.r.(Herb.GGK). M. S. BB.

Scutellaria lateriflora, L. Bogs and swamps.
B.f.coll.fl. M.f.coll.fl. S. BB.

Stachys aspera, Michx.
B.r.Coll.lf. M. S. BB.

Thymus serpyllum, L.
B.r.(Herb.BMHS). M. S. BB.

Trichostema dichotomum, L. Gravelly roadsides and fields.
B.c. M.c. S.c. BB.c.coll.

85. Plantagineae.

Plantago lanceolata, L. Roadsides ; fields and housesites.
B.c.coll. M.c. S.c. BB.c.coll.

Plantago major, L. Fields ; housesites and roadsides.
B.c. M.c. S.f. BB.c.

Plantago Rugelii, Done. Roadsides and housesites.
B.f. M.c.coll.fl. S. BB.

85. Illecebraceae.

Anychia capillacea, DC. Roadsides and open woods.
B.c.coll. M.r. S. BB.

Anychia dichotoma, Michx, Roadsides and open dry woods..
B.c.coll. M.r. S. BB.

Scleranthus annuus, L. Roadsides and waste grounds.
B. M.f. S. BB.f.collfr.

86. Amarantaceae.

Amarantus retroflexus, L. Roadsides and about buildings.
B.r.coll.fl. M.c. S. BB.

87. Chenop diceae.

Chenopodium album, L. Waste places and cultivated ground.
B.r.coll. M.c.coll. S. BB.

Chenopodium ambrosioides, L.
B.r.(Herb.GGK). M. S. BB.

Chenopodium hybridum, L. Roadsides.
B.r. M. S. BB.

Chenopodium murale, L. Cultivated field.
B.c.coll. M. S. BB.

38. Phytolaccaceae.

Phytolacca decandra, L. Fields.
D.o.coll.fl. M.o. S. BB.

39. Polygonaceae.

Fagopyrum esculentum, Moench. Fields and waste places.
B. M.r. S. BB.

Polygonum acre, HBK. Wet places.
B.o.coll.fl. M.o. S. BB.

Polygonum arifolium, L. Bogs in woods.
B.f.(Herb.WB). M.f.coll. S.a. BB.

Polygonum aviculare, L. Gravelly waste ground.
B.r.coll.fl. M. S. BB.

Polygonum Careyi, Olney.
B.r.(Herb.JHC). M. S. BB.

Polygonum Convolvulus, L. Moist low thickets.
B.c.coll. M.o. S. BB.

Polygonum dumetorum, L. var. scandens, Gray. Moist thickets.
B.r.coll.fl. M.r. S. Bb.

Polygonum Hydropiper, L. Wet places.
B.f.coll.fl. M.c.coll.fl. S.c. BB.

Polygonum hydropiperoides, Michx. Bogs.
B.f.coll.fl. M.f.coll.fl. S. B.f.coll.fr.

Polygonum lapathifolium, L. var. incanum, Koch. Shores and bogs.
B. M.c.coll. S. Bb.

Polygonum lapathifolium, L. var. incarnatum, Wats. Shores.
B. M.f.coll. (+ herb. CAS) S. B.

Polygonum Muhlenbergii, Watson, Bogs.
B.r.coll.fl. M. S. BB.

Polygonum Persicaria, L. Moist and wet ground.
B.f.coll.fl. M.c. S. Bb.

Polygonum sagittatum, L. Meadows and swamps.
B.c.coll.fl. M.c. S. BB.

Polygonum tenue, Michx. Hilltops.
B.o.coll. M. (herb. B.W.S.) S. BB.

Polygonum Virginianum, L.
B. M. S.c. BB.

Rumex Acetosa, L. Moist ground.
B. M.r.(Herb.WPR). S. BB.

Rumex Acetosella, L. Housesites ; roadsides and fields.
B.c. M.c. S. BB.c.coll.

Rumex crispus, L. House-sites ; roadsides and fields.
B.f. M.c. S. BB.

Rumex obtusifolius, L. Roadsides ; housesites and fields.
B.o.(Herb.JHC). M.o.coll.fr. S. BB.

93. Lauraceae.

Lindera Benzoin, Blume. Shady wet runs.
B.f.coll.fr. M.f. S.f. BB.f.coll.f.

Sassafras officinale, Nees. Dry slopes and hilltops.
B.c.(Herb.GGK). M.c. S.c. BB.

95. Thymelaeaceae.

Daphne Mezereum, L.
B. M.?. S. BB.

97. Santalaceae.

Comandra umbellata, Nutt. Thin dry woods and fields.
B.c.coll.fl. M.f.(Herb.WD). S.c.coll.fl. BB.

98. Euphorbiaceae.

Acalypha Virginica, L. Sandy soil and roadsides.
B.f. M.f.coll.fl. S. BB.

Buxus sempervirens, L. Planted.
B.r. M. S. BB.

Euphorbia Cyparissias, L. Roadsides and housesites.
B. M.c. S. BB.

Euphorbia maculata, L. Dry fields.
B.c.coll.fl. M.c.coll. S. BB.

99. Urticaceae.

Boehmeria cylindrica, Willd. Wet shady places.
B.r.coll.fr. M.r. S. BB.r.(Herb.WD)

Morus alb , L. Planted.
B.r. M. S. BB.

Pilea pumila, Gray, B.r.coll.		Moist woods. M.r.(Herb.MI).	S.	BB.
Ulmus Americana, L. B.f.		Moist places and planted. M.f.	S.o.	BB.c.
Urtica gracilis, Ait, B.		Waste grounds and roadsides. M.f.	S.	BB.

I00. Platanaceae.

Platanus occidentalis, L.		Near running water.		

I0I. Juglandaceae.

Carya alba, Nutt. B.f.		Woods. M.c.	S.	BB.
Carya amara, Nutt. B.		Woods. M.r.	S.	BB.
Carya porcina, Nutt. B.c.(Herb.JRC).		Rocky woods. M.f.	S.	BB.
Carya tomentosa, Nutt. B.c.(Herb.GGK).		Hilltops. M.r.	S.	BB.
Juglans cinerea, L. B.r.(Herb.JRC).		Rocky slopes. M.	S.	BB.r.
Juglans cinerea x nigra. B.r.		(Hybrid). M.	S.	Planted. BB.
Juglans nigra, L. B.r.		Planted (?). M.	S.	BB.
Juglans regia, L. B.		M.	S.	BB.r.coll.lf.

I02. Myricaceae.

Myrica asplenifolia, Endl. B.c.coll.lf.		Dry fields and open woods. M.c.	S.c.	BB.c.
Myrica cerifera, L. B.o.		Open fields and thin woods. M.c.	S.o.	BB.o.
Myrica Gale, L. B.o.coll.		Meadows; edge of ditches. M.o.	S.	BB.

103. Cupuliferæ.

Alnus incana, Willd.
B.f. N.c. — Wet places. S.c. — BB.c.coll.fr.

Alnus serrulata, Willd.
B.c(Herb.GH). N.c. — We. land. S. — BB.c.coll.fr.

Betula lenta, L.
B.c.coll.fr.lf. N.c. — Moist rocky slopes. S.r.coll.fr. — BB.

Betula lutea, Michx.f..
B.r. N.c. — Moist valleys and slopes. S. — BB.

Betula papyrifera, Marshall.
B. N.r. — Rocky wooded slopes. S. — BB.

Betula populifolia, Ait.
B.c. N.f. — Swamps and open fields. S.c. — BB.f.

Carpinus Caroliniana, Walt.
B.c.coll.fl. N.r. — Cool rocky ravines. S. — BB.

Castanea sativa, Mill. var. Americana, Watson.
B.c. N.r. — Well drained slopes. S. — BB.

Corylus Americana, Walt.
B.f.coll.fr. N.c. — Open fields. S.c. — BB.c.

Corylus rostrata, Ait..
B.r.(Herb.GH). N.c. — Thickets. S. — BB.

Fagus ferruginea, Ait.
B.c.(Herb.WD). N.c. — Woods. S.f. — BB.

Ostrya Virginica, Willd.
L.c.coll.fr. N.f. — Meadows and rocky slopes. S.c. — BB.

Quercus alba, L.
B.c. N.c. — Everywhere except on bogs, meadows and swamps. S.c. — BB.c.

Quercus bicolor, Willd.
B.r. N.f. — Wet ground. S.c. — BB.c.

Quercus coccinea, Wang.
B. N.f. — Dry slopes and fields. S.f. — BB.c.

Quercus coccinea, Wang. var. Tinctoria, Gray.
B.c. N.f. — Woods. S.f.coll.lf. — BB.f.

Quercus ilicifolia, Wang.
B.c.coll.fl. N.c. — Open woods and slopes. S.c. — BB.c.

Quercus Muehlenbergii, Engelm.
B.r.(Herb.GH). M. — Woods. S. — BB.

Quercus prinoides, Willd.
B.c.coll.fr. N.c. — Hilltops and slopes. S. — BB.

Quercus Prinus, L. Woods.
B.f.coll. M ?.r. S. BB.

Quercus rubra, L. Woods.
B.c. M.c. S.c. BB.c.

I04. Salicaceae.

Populus balsamifera, L. var. candicans, Gray. Moist and wet ground.
B. M.r. S. BB.

Populus grandidentata, Michx. Sprout land.
B.f. M.f. S.f. BB.

Populus tremuloides, Michx. Sprout land.
B.c. M.f. S. BB.

Salix alba, L. Meadows and shores.
B.o. M.o. S.o. BB.o.

Salix cerdata, Muhl. Wet ground
B.f.(Herb.JRC). M.o. S. BB.

Salix cordata x sericea, (fide M.S.Bebb)
B.r.(Herb.JRC). M. S. BB.

Salix discolor, Muhl. Swamps, meadows and shores.
B.f.coll.lf. M.f.coll.lf. S.f. BB.f.

Salix lucida, Muhl. Meadows ,swamps and shores.
B.o.(Herb.JRC). M.o. S. BB.

Salix myrtilloides, L. Meadows.
B. M.o. S. BB.

Salix nigra, Marsh. Bogs,meadows and swamps.
B. M. S.r.coll.lf. BB.

Salix petiolaris, Smith. Meadows,edges woods.
B. M.o.coll.lf. S. BB.

Salix purpurea, L. Low land.
B. M.r. S. BB.

Salix rostrata, Rich. Moist places,
B.c.(Herb.JRC). M. S. BB.

Salix tristis, Ait. Gravelly fields and low thickets.
B.r.coll.lf. M.o. S.r.coll.fr. BB.

Salix nigra, Marsh. var. falcata, Torr. Bogs.
B.r.coll.lf. M. S. BB.

107. Coniferae.

Chamaecyparis sphaeroidea, Spach. B.o.(Herb.WD).	M.r.	Swamps. S.	BB.
Juniperus communis, L. B.o.(Herb.GdK).	M.o.	Open pastures and ledges, S.o.	BB.o.
Juniperus Virginiana, L. B.c.(Herb.JRC).	M.c.	Ledges, hilltops and pastures. S.c.	BB.c.(Herb.WD)
Picea nigra, Link. B.r.	M.	Planted. S.	BB.
Picea excelsior, Lk. B.o.	M.o.	Planted. S.	BB.r.
Pinus rigida, Mill. B.f.	M.f.	Hilltops and slopes. S.f.	BB.f.
Pinus Strobus, L. B.c(Herb.JRC).	M.f.	Moist and wet places. S.c.	BB.o.
Pinus sylvestris, L. B.	M.	Planted. S.	BB.r.
Tsuga Canadensis, Carr. B.f.	M.f.	Rocky woods and slopes and moist valleys. S.	BB.

108. Hydrocharidaceae.

Elodea Canadensis, Michx; B.o.coll.	M.f.coll.	Shallow water. S.f.coll.	BB.

110. Orchidaceae.

Arethusa bulbosa, L. B.r.	M.	Bogs. S.	BB.
Calopogon pulchellus, R.Br. B.o.(Herb.JRC).	M.	Bogs. S.	BB.
Corallorrhiza innata, R.Br. B.r.(Herb.WD).	M.	S.	BB.
Corallorrhiza multiflora, Nutt. B.o.coll.fr.	M.o.(Herb.MI).	Rich woods. S.	BB.
Corallorrhiza odontorhiza, Nutt. B.	M ?.r.	S.r.	BB.
Cypripedium acaule, Ait. B.c.coll.fr.	M.f.	Open woods. S.	BB.

Goodyera pubescens, R.Br. Woods.
D.c.coll.lf. M. S. BB.

Goodyera repens, R.Br. Rich woods.
B.r.coll.lf. M.r. S. BB.

Habenaria blephariglottis, Torr.
D.r.coll.fl. M. S. B[illegible].

Habenaria fimbriata, R.Br. Swamps and moist woods.
B.r.coll.fr. M. S. BB.

Habenaria Hookeri, Torr.
B.r. M.r.(Herb.MI). S. BB.

Habenaria lacera, R.Br. Meadows.
B. M.r. S. BB.

Habenaria psycodes, Gray. Meadows and swamps.
B.r.coll.fl. M.r. S. BB.

Habenaria tridentata, Hook. Wet ground.
B.r.coll.fr. M. S. B[illegible].

Habenaria virescens, Spreng.
B.r.(Herb.GGK). M. S. BB.

Liparis liliifolia, Rich.
B.r.(Herb.JAC). M. S. BB.

Microstylis ophioglossoides, Nutt.
B.r. M. S. BB.

Pogonia ophioglossoides, Nutt. Low ground.
B.f.(Herb.JAC). M. S. BB.

Pogonia verticillata, Nutt. Woods.
B.f.coll.lf. M. S. BB.

Spiranthes cernua, Rich. Meadows.
B.c.coll.fl. M.c.coll.fl. S. BB.

Spiranthes gracilis, Bigel. Dry fields.
B.f.coll.fl. M.f.coll.fl. S. BB.

Spiranthes praecox, Watson.
B.r.(Herb.GGK). M.c. S. BB.

II3. Iridaceae.

Iris Germanica, L.		Planted.		
B.r.	M.		S.	BB.
Iris prismatica, Pursh.				
B.r.coll.fr.	M.		S.	BB.
Iris versicolor, L.		Meadows.		
B.c.coll.	M.c.		S.	BB.c.coll.fl.
Sisyrinchium anceps, Cav.		Moist ground.		
B.c.(Herb.WD).	M.c.coll.		S.	BB.f.coll.fr.
Sisyrinchium angustifolium, Mill.		Meadows.		
B.c.(Herb.GGK).	M.c.		S.f.	BB.c.coll.fl.

II4. Amaryllidaceae.

Hypoxis erecta, L.		Dry open woods and fields.		
B.c.coll.fl.	M.c.		S.	BB.c.coll.fl.

II6. Liliaceae.

Allium Canadense, Kalm.		Pastures.		
B.	M.c.coll.		S.	BB.c.coll.
Asparagus officinalis, L.		Fields and roadsides.		
B.	M.c.		S.	BB.c.
Convallaria majalis, L.		Planted.		
B.r.	M.		S.	BB.
Convallaria majalis, L.var. fl.roseo, hort.		Planted.		
B.r.	M.		S.	BB.
Erythronium Americanum, Ker.		Moist woods.		
B.r.	M.c.		S.	BB.c.coll.lf.
Funkia lanceifolia, Spr.		Planted.		
B.r.	M.		S.	BB.
Hemerocallis fulva, L.		Planted.		
B.r.	M.		S.	BB.
Lilium Canadense, L.		Meadows.		
B.r(Herb.JRC).	M.c.		S.	BB.r.coll.lf.
Lilium Philadelphicum, L.		Open places in dry woods.		
B.f.coll.fr.	M.f.		S.f.coll.fl.	BB.
Lilium tigrinum, Ker.		Planted.		
B.r.	M.		S.	BB.

num Canadense, Desf. erb.JRC).	Woods. M.c.	S.c.	BB.c.coll.fl.
Virginica, L. Herb, JRC).	Damp woods. M.c.	S.c.	BB.
sessilifolia, Wats.	Open woods. M.c.	S.	BB.
galum umbellatum, L.	Planted. M.	S.	BB.
natum biflorum, Ell. coll.	Damp rocky woods. M.f.(Herb.MI).	S.	BB.
ina racemose, Desf. c.coll.fr.	Rocky woods and hillsides. M.c.(Herb,MI).	S.	BB.c.coll.fl.
x herbacea, L. .(Herb.Gray).	Damp borders of woods. I.f.	S.	BB.
ax rotundifolia, L. e.(HerbWD).	Open swamps and dry slopes. M.f.(Herb.MI).	S.f.	BB..coll.fl.
lium cornuum, L. .c.coll.lf.	Moist woods. I.f.	S.	BB.
laria perfoliata, L. .	M.r.(Herb.MI). (herb cows)	S.	BB.
ratrum viride, Ait. B.	Swampy meadows. M.r.	S.	BB.c.coll.fl.
icca filamentosa, L. B.r.	Plentiful. M.	S.	BB.

II7. Pontederiaceae.

Pontederia cordata, L. B.c.	Shallow water. M.c.	S.c.	BB.c.

II8. Xyridaceae.

Xyris Caroliniana, Walt. B ?.r.coll.	M.	S.	BB.
Xyris flexuosa, Muhl. B.r.coll.fr.	Sandy shores. M.	S.r.coll.fr.	BB.
Xyris flexuosa, Muhl.var. pallida, Gray. B.r.(Herb.EEW).	Sandy shores. M.	S.	BB

121. Juncaceae.

Juncus acuminatus, Michx.
B.c(Herb.JRC) coll. M. Coll. S. BB.

Juncus acuminatus, Michx. var. legitimus, Engelm. Swamps.
B. M.c.coll. ~~Coll~~ S. BB.f.c.ll.

Juncus articulatus, L. Meadows.
B.f.c.ll. coll. L.c.c.ll. coll. S. B.

Juncus bufonius, L. Meadows.
B.c.c.ll. coll. M. S. BB.

Juncus Canadensis, J.Gay. var.coarctatus, Engelm. Meadows.
B.c.c.ll. Coll" M.c.coll. coll. S. "

Juncus Canadensis, J.Gay. var. longicaudatus, Engelm. Swamps.
B. coll. M.c.c.ll. coll. S. "

Juncus Canadensis, J.Gay. approaching var. subcrudatus, Engelm. Near C.W.S. (?) Damp woods.
B.c.coll. M. S. BB.

Juncus effusus, L. Meadows and swamps.
B.c.(Herb.JRC). M. S. coll. BB.f.coll."

Juncus Greenii, Oakes & Tuck.
B.c.(Herb.JRC). M. S. BB.

Juncus marginatus, Rostk.
B.c.coll." M.c.coll! S. BB.c.coll."

Juncus polycarpus, E.Meyer.
L.r.(Herb.EEW). M" coll. Swamps. S. BB.

Juncus tenuis, Willd. Dry and ledgey soil.
B.f.coll! M.c.coll! S. coll. BB.c.coll!

Luzula campestris, DC. Swampy borders of woods.
L.c.(Herb.GGK). M.c.coll." S.c. Coll. BB.c.coll."fr.

122. Typhaceae.

Sparganium simplex, Huds. Bogs and ditches.
L.f.c.ll. M.f.coll. S. BB.

Sparganium simplex, Huds. var.androcladum, Engelm. Shores.
L.r. M. S. B.

Sparganium simplex, Huds. var.angustifolium, Engelm. Bogs.
B.r.coll. M. S. BB.

Typha angustifolia, L. Bogs.
L.r.coll.fr. M. S. BB.

Typha latifolia, L. Bogs and shores.
L.f.(Herb.JRC). M.c. S.c. BB.c.

I23. Aroideae.

Acorus Calamus, L.
B. M.c. Swamps: S. Fl.r.coll.

Arisaema triphyllum, Torr.
B.c.coll.fr. M.f. Bogs. S. Fl.c.coll.fl.

Calla palustris, L.
B.r.coll.fr.lf. M.r. Swamps. S. Fl.

Peltandra undulata, Raf.
B.r.coll.fr.lf. M. Swamps. S. Fl.

Symplocarpus foetidus, Salisb.
I.c.(Herb.GGK). M.c. Wet places. S.c. I.c.(Herb.WD)

I24. Lemnaceae.

Lemna minor, L.
B. M.c. Pools, ditches and streams; S. Fl.

Lemna trisculca, L.
B.r.coll. M. Stagnant water. S. Fl.

Lemna Valdiviana, Philippi.
B.r.coll. M. Running water. S. Fl.

Spirodela polyrrhiza, Schleid.
B. M.f. Wet places. S. Fl.

I25. Alismaceae.

Alisma Plantago, L.
B.c.coll. M.c. Edge of water. S. Fl.

Sagittaria graminea, Michx.
B. M.r.coll.fl. Shores. S. Fl.

Sagittaria variabilis, Engelm.
B.c.coll.fr. M.f. Bogs and shallow water. S.f. Fl.f.

Sagittaria variabilis, Engelm. var. angustifolia, Engelm.
I.c.coll. M. S. Fl.

Sagittaria variabilis, Engelm. var. obtusa, Engelm.
B.c.coll.fr. M. S. Fl.

Scirpus "Winchester, E. border of N. reservoir, Aug. 5/94, coll. Fern. & P. Rich, No. 448," is S. flexilis fide Britton. I think Rich had named its Juncus gracillimus, but the characters did not quite agree with Morong, nor Morong's plate with his text, I sent the plant to Britton. C.W.S.

Carex Atlantica Bailey (= echinata, v. conferta Svens. Meddn. ed. 6.)
B. m. S. coll: BB

Carex conoidea, Schk.
B. m. coll! S. BB.

Carex crinita, Lam., var. minor Boott ?
B. m. coll. S. BB.

I26. Najadaceae.

Najas flexilis, Rostk. & Schmidt. (?).
B. M.?.r.coll. S. BB.

Najas Indica, Cham. var.gracillima; A.Br. Shallow water.
B. M.f.coll. S. BB.

Potamogeton, natans, L. Ponds.
B. M.r.(Herb.WD). S. BB.

Potamogeton Nuttallii, Cham. & Schl. Shallow water.
B. M.r.coll. S. BB.

Potamogeton Pennsylvanicus, Cham. Shallow water.
B.o.(Herb.JRC). M.f. S. BB.

Potamogeton Spirillus, Tuck. Shallow water.
B.r.(Herb.GGK). M.r.coll.fr. S. BB.

Potamogeton Vaseyi, Robbins. Ponds.
B. M.r.(Herb.MI). S. BB.

I27. Eriocauleae.

Eriocaulon septangulare, With. Shores of ponds.
B.o.coll. M.o. S.o. BB.

I28. Cyperaceae.

Carex bromoides, Schk.
B. M.r.coll." S. BB. coll.

Carex bullata, Schk. Wet places.
B.f. M. S. BB.f.(Herb.JRC

Carex canescens, L.
B.c. M.c.(Herb.JRC). coll." S. coll. BB. coll.

Carex canescens, L. var. vulgaris, Bailey.
B. M.o.coll! S. BB.o.coll.

Carex cephalophora, Muhl. Woods.
B.f.(Herb.GGK). M.f.coll.' S. BB.o.coll.'

Carex communis, Bailey.
B.r.(Herb.JRC). M.r. S. BB.

Carex crinita, Lam. Wet ground.
B.c.coll." M.f.coll.' b S. coll.' BB.o.coll.'

Carex debilis, Michx. var. Rudgei, Bailey.
B.c. M.o.coll.' S. coll.' BB.o.coll.'

Carex laxiflora, Lam. var. blanda, Dew., (fide L. H. Bailey)

B. m. coll. S. BB. coll.

(This I suppose takes the place of striatula, C.W.S.)

Carex digitalis, Willd.
B.c.(Herb.GGK). M. coll. S. BB.

Carex filiformis, L.var. latifolia, Boeckl.
B. M. S. Bb.c.coll.

Carex flava, L.var. graminis, Gail.
B. M.c. coll. S. BB.

Carex foenea, Willd,
B.r.coll. M. coll. S. coll. Bb ?. Coll.

Carex folliculata, L. Swamps.
B.c.coll. M. S. BB.

Carex gracillima, Schw.
B. M.c.(Herb.JRC). coll." S. Bb.c. coll.'

Carex interior, var.capillacea, Bailey. (fid ~~Dr.C.W.S--n~~ L.H.Bailey)
B.recll. M. S. BB.

Carex intumescens, Rudge.
B.c. coll. M. S. (herb. C.W.S.) BB.

Carex laxiculmis, Schwein.
B. M. coll. S. Bb. coll."

Carex laxiflora, Lam. var.latifolia, Boott.
B.r. M. S. BB.

Carex laxiflora, Lam. var. pauciflora, Carey.
B.f.(Herb.JRC). M.c.coll." S. (herb. C.W.S.) BB.

Carex laxiflora, Lam. var. varians, Bailey. ~~Female collected at BB.~~
B. M. S. BB.r.

Carex laxiflora, Lam. var. blanda, Carey. (See opposite page)
B. M.c.coll. S. BB.c.coll.

Carex lupulina, Muhl. Shady
B.c.coll. M.c.coll." S. BB.

Carex lurida, Wahl. Shady slopes.
B.c.coll. M.c.coll. S. coll. BB.c.coll.

Carex Muhlenbergii, Schk.
B.r.(Herb.JRC). M. S. BB.

Carex muricata, L. Low ground.
Bc. M.r.coll. S. Bb.r.coll.

Carex pallescens, L.
B.f.(Herb.GGK). M.f.coll. S. (herb. C.W.S.) Bb.f.coll.

Carex paniculata, L.
B.c. M. S. BB.

Carex praecox, Jacq.

B. m. S. (herb. C.W.S.) BB.

Carex platyphylla, Carey

B. m. (herb. C.W.J.) S. BB.

Carex rosea, Schk., var. retroflexa, Torr.

B. m. coll. S. coll. BB.

Carex sterilis angustata reported opposite – doubtful. (immature). delendum

Carex sterilis, var. excelsior, Bailey.

B. m. coll! S. coll. BB.

Carex sterilis, var. excelsior, approaching v. cephalantha, Bailey.

B. m. coll! S, BB.

Carex stricta, Lam., var. angustata, Bailey.

B. m. coll. S. BB.

Carex tribuloides, Wahl., var. reducta, Bailey.

B. m. S. BB. coll.

Carex Pennsylvanica, Lam. S. (herb. C.W.S.) BB.c.(Herb.WD) coll.
B.c.(Herb.J.C). M.c.coll.

Carex polytrichoides, Muhl. S. BB.
B.f.(Herb.GGK). M.

Carex Pseudo-Cyperus, L.var. Americana, Hochst. S. coll. BB.
B.f. M.f.coll.

Carex rigida, Gooden. var. Goodenovii, Bailey. vide C. vulgaris
B.r.(Herb.GGK). M. S.

Carex rigida, Gooden. var. strictiformis, Bailey. S. BB.
B.r.(Herb.GGK). M.

Carex rosea, Schk. S. (herb. C.W.S.) BB.
B.c.(Herb.WD)(+CWS) M.c.coll.

Carex rosea, Schk. var. radiata, Dew. S. BB.
B.c.(Herb.JRC). M.c.coll.

Carex scabrata, Schw. Moist places. S. BB.
B.c.coll. M. coll.

Carex scoparia, Schk. S. coll." BB.
B.r.coll. M. coll.

Carex sprengeliana, Muhl. S. BB.
B,c.(Herb.JRC). M.c.(Herb.JRC).

Carex sterilis, Willd. S. coll." Bg.r.coll."
B. M. coll;

Carex sterilis, Willd. var. angustata, Bailey. See opposite page S. BB.
B. M. ?.r. ~~coll.~~

Carex stipata, Muhl. S. coll. BB.c.coll.
E.c. M. coll.

Dry soils.

Carex straminea, Willd. S. B.
B.c. M.c.coll.

Carex straminea, Willd. var. aperta, Boott. S. BB.
B.r.(Herb.GGK). M.

Carex straminea, Willd. var. mirabilis, Tuck. S. coll! BB.c.coll.
B.c.(Herb.WD). M.

Carex stricta, Lam. S. coll. BB.c.coll.
B. M.

Moist ground.

Carex sticta, Lam. var. decora, Bailey. S. B.c.(Herb.WD
B. M.

Carex tribuloides, Wahl. S. BB.c.coll.
B.r.(Herb.GGK). coll M.

Carex utriculata. Boott.

B. m. coll. S. BB.

Carex utriculata, Boott., var. minor, Boott (fide L&B)

B. m. coll. (Rich) S. BB.

Carex vestita, Willd.

B. m. S. coll. BB.

Carex vulgaris. Fries, var. strictiformis. Bailey (fide L&B)

B. m. coll. S. BB.

Carex vulpinoidea, Michx.

B m. coll. S. coll! BB.

Eleocharis acicularis. R Br.

B. coll. m. coll. S. BB.

Carex trisperma, Dew.	Swamps.		
B.o.(Herb.JRC).coll, M.		S. coll.	BB.
Carex umbellata, Schk.			
B.r.(Herb.GGK) coll, M.		S. coll.	BB.
Carex varia, Muhl.			
B.	M.o. coll.	S. coll.	BB.
Carex virescens, Muhl.	Rocky woods.		
B.f.coll.	M.o.(Herb.MI). coll.	S coll.	BB.
Carex virescens, Muhl. var. costata, Dewey.		Woody slopes.	
B.c.coll.	M.	M.	BB.
Carex vulgaris, Fries.	Meadows.		
B.	M.o.	S. coll.	BB.
Cyperus dentatus, Torr.			
B.o.coll.fl.	M.o.coll.	S.	BB.
Cyperus diandrus, Torr.	Pond edges.		
B.o.coll.	M.o.coll.	S.	BB.
Cyperus filiculmis, Vahl.	Gravelly roadsides and fields.		
B.r.coll.	M.	S.	BB.r.coll.
Cyperus strigosus, L.			
B. coll.	M.o.coll.	S.	BB.o.coll.
Dulichium spathaceum, Pers.	Swamps.		
B.c.coll.	M.o. coll.	S.	BB.
Eleocharis Engelmannii, Steud.			
B.r.coll.	M. (herb. C.W.S.)	S.	BB.
Eleocharis olivacea, Torr.	Bogs.		
B.f.coll.	M.f.coll.	S. coll.	BB.
Eleocharis ovata, R.Br.	Borders of ponds and ditches.		
B. coll.	M.o.coll.	S.c.coll.	BB.c.coll.
Eleocharis palustris, R.Br.			
B.f.	M. coll.	S.	BB.
Eleocharis tenuis, Schultes.			
B.o.coll.	M. coll.	S.	BB.
Eleocharis tuberculosa, R.Br.			
B.c.coll.	M.	S.	BB.
Eriophorum cyperinum, L.	Swamps.		
B.r.coll.	M.o. coll,	S.	BB.
Eriophorum gracile, Koch.			
B ?.	M ?. coll.	S ?.	BB.

Eriophorum vaginatum, L.
B. m. ~~coll.~~ S. coll! BB.

Scirpus atrovirens. Muhl.
B. m. S. coll. BB.

Scirpus debilis. Pursh.
B. m. coll. S. BB.

Agropyrum repens. ~~Mx~~ Beauv.
B. m. coll. S. BB.

Agrostis canina, L.
B. m. S. coll. BB.

Agrostis alba, L.
B m. coll. S. BB,

Alopecurus geniculatus, L., var. aristulatus, Torr.
B m. coll. S. BB.

Agrostis scabra, Willd.
B. coll. m. coll. S. BB.

Eriophorum Virginicum, L.
B.f.coll! M.f. coll. S.f.coll! BB.

Fimbristylis autumnalis, Roem.& Schult. Wet ground.
B.o.coll.! M. Coll. S. BB.

Fimbristylis capillaris, Gray.
B.f.coll! M. S. BB.

Rhynchospora alba, Vahl.
B.r. M. Coll. S. BB.

Rhynchospora fusca, Roem. & Schult. Meadows.
B.r.(Herb.JFC). M. S. BB.

Rhynchospora glomerata, Vahl. Moist places.
B.o.coll! M. coll. S. BB.

Scirpus planifolius, Muhl. Dry woods.
B.f.(Herb.Gdl)(CWS) M. S. BB.

Scirpus sylvaticus, L.
B. M.o.coll. S. BB.

12... Gramineae.

Agropyrum caninum, Roem. & Schult.
B. M.o.coll. S BB.

Agrostis alba, L.var. vulgaris, Thurb. Moist ground.
B.o. M.o. coll.''' S. BB.o.coll.

Agrostis alba L.var. vulgaris, Thurb. forma aristata, (fide Dr. Swan).
B. M.r.coll! S. BB. coll.

Agrostis perennans, Tuck. Damp rocky woods.
B.o.coll. M.o.coll. S.f.coll. BB.

Alopecurus geniculatus, L. Swamps.
B. M.o.coll. S. BB.

Alopecurus pratensis, L. Open fields.
B. M. S. BB.f.coll.

Andrppogon furcatus, Muhl.
B.o.(herb.GGK). coll, M. S. BB.

Andropogon scoparius, Michx. Hills and poor fields.
B.f.coll. M.o.F.c.(Herb.MI). S. BB.

Andropogon Virginicus, L.
B.r.(Herb.JRC). M. S. BB.

Anthoxanthum odoratum, L. Roadsides and fields.
B.c.coll. M.c.coll. S. coll. BB.c.coll.

Aristida dichotoma, Michx. Poor open fields and roads.
B.r.coll.''' M.o.coll. S. BB.

Calamagrostis Canadensis. Beauv.

B. m. S. coll. BB.

Aristida gracilis, Ell.
B.r.coll.! M. S. BB.

Asprella Hystrix, Willd. Rocky woods.
B.c.(Herb.JRC). M.o.coll. S. BB.

Avena sativa, L.
B.r.coll.! M.r.coll. S. BB.

Brachyelytrum aristatum, Beauv.
B.r.coll. M. S. coll. BB.

Bromus ciliatus, L. Rocky slopes.
B.f. m.o.coll! S. coll. BB.

Bromus secalinus, L.
B. coll! M.r.coll.! S. BB.

Calamagrostis Nuttalliana, Steud.
B.r.coll.! M. coll. S.

Chrysopogon nutens, Benth.
B.r. M. S. BB.

Cinna arundinacea, L. Swamps.
B.o.coll!! M. coll. S. BB.

Dactylis glomerata, L.
B.c. M.c. S. BB.c.coll.

Danthonia compressa, Austin. Dry woods.
B.o.coll. M.o.coll! S. BB.

Danthonia spicata, Beauv. Dry woods.
B.c.coll. M.f.(Herb.MI). Coll. S. coll. BB.

Deschampia flexuosa, Trin.
B.c.(Herb.JGK). M. S. BB.

Estonia Dudleyi, Vasey; (fide Dr.Swan).
B. M.r.coll. S. BB.

Elymus Canadensis, L.
B.o.(Herb.JRC). M.o. S. BB.

Elymus striatus, Willd.
B.o.(Herb.JRC). M. S. BB.

Eragrostis capillaris, Nees. Ledges.
B.r.(Herb.JRC). M. S. BB.

Eragrostis pectinacea, Gray.
B.o.(Herb.JRC). M. S. BB.

Eulalia Japonica variegata, hort (Miscanthus Sinensis, Anders) Planted.
B.r. M. S. BB.

Festuca ovina, L.
B. M. S. coll. BB.

Glyceria pallida, Trin.
B. M. coll. S. BB.

Hierochloe borealis. R. & S.
B. m. coll. S. BB.

Muhlenbergia glomerata Trin.
B. coll. m. S. BB.

Muhlenbergia diffusa, Schreber.
B. coll. M. coll. S. BB.
(not sure that this is from both localities. C.W.S.).

Festuca elatior, L. var. pratensis, Gray. B.	M.	S. coll.	BB. r. coll.
Festuca nutans, Willd. B. f. (Herb. WD).	M. coll.	S.	BB.
Festuca tenella, Willd. B. o. coll.	M.	S. coll.	BB.
Glyceria acutiflora, Torr. B.	N. o. coll."	S.	BB.
Glyceria Canadensis, Trin. B. f. coll!	M. f.	Meadows. S.	BB.
Glyceria fluitans, R. Br. B. o. coll.	M. coll.	S. coll.	BB.
Glyceria nervata, Trin. B. o. coll!	M. r. coll.	Meadows. S. coll.	BB. coll.
Glyceria obtusa, Trin. B. o. coll.	M.	Swamps and meadows. S. coll.	BB.
Holcus lanatus, L. B. f. (Herb. GGK).	M.	Low ground. S.	BB.
Leersia oryzoides, SW. B. o. coll.	M.	S. coll.	BB. o. coll.
Leersia Virginica, Willd. B. o. coll."	M.	Near roads. S. (herb. C.W.S.)	BB. o. coll.
Muhlenbergia Mexicana, Trin. B. o. (Herb, EFW).	M. coll.	Woods. S.	BB.
Muhlenbergia sobolifera, Trin. B. o. (Herb. JRC).	M.	Woods. S.	BB.
Muhlenbergia sylvatica, Torr. & Gray. B. f. (Herb. GGK). (" WJPR.)	M.	S.	BB.
Muhlenbergia Willdenovii, Trin. B. f. coll.	M. coll.	S.	BB.
Oryzopsis asperifolia, Michx. B. r. (Herb. JRC).	M. r. coll. (herb. C.W.S.)	S.	BB.
Oryzopsis Canadensis, Torr. B. r. (Herb. JRC).	M.	S. (herb. C.W.S.)	BB.
Oryzopsis melanocarpa, Muhl. B.	M. r. coll.	S.	BB.
Panicum agrostoides, Muhl. B. o. coll."	M. coll.	S.	BB. r. coll.

Panicum lanuginosum, Ell. (fide Scribner)

B VI coll.!!! S. coll.!! BB coll.!

Panicum proliferum, Lam.

B. coll.

Panicum filiforme, L.

B. coll.

Panicum barbulatum, Michx.

B. coll.!

fide Scribner

Panicum capillare, L. B,	I.		S.	BB.r.coll.
Panicum clandestinum, L. B.o.(Herb.GGK).	M.		S. coll	BB.
Panicum commutatum, Schultes. B.	M.r.coll."	(fide Scribner)	Dry woods. S.	BB.
Panicum Crus-galli, L. B.o.coll!	M.	Roadsides and housesites.	S.	BB.
Panicum depauperatum, Muhl. B.c.coll.	M.c.coll.!	Hilltops.	S. coll.	BB.
Panicum dichotomum, L. B.c.coll.'	M.c.coll.	Woods and fields.	S. coll !!!	BB.c.coll.
Panicum dichotomum, L. [var. viride, Vasey.] B.	M.c.coll.	Rocky woods.	S. coll.'	BB.
Panicum glabrum, Gaudin. B.c. coll.'	M.	Roadsides.	S.	BB.
Panicum latifolium, L. B.c.coll.'	M.c.coll.	Woods.	S. coll.'	BB.
Panicum lexiflorum, Lam. B.c.	M.c.	Roadsides.	S.	BB.
Panicum nitidum, Lindx. B.c.coll.	M.c. coll.!!!	Lam. (fide Scribner)	S.	BB.
Panicum sanguinale, L. & B.f.coll!	M.c.	Roadsides and Fields.	S.	BB.
Panicum scoparium, Lam. B.c.coll.	M.c.coll.		S.	BB.
Panicum sphaerocarpon, Ell. B.	M.c.coll."	Woods.	S.	BB.
Paspalum setaceum, Michx. B.c.(Herb.EEW).Coll.	M.	Meadows.	S.	BB.c.coll.
Phleum pratense, L. B.c. Coll"	M.	Roadsides and fields.	S. Coll.	BB.
Poa annua, L. B.f.	M.f.	Roads and fields.	S.	BB.f.coll.
Poa compressa, L. B.f.(Herb.JHC). Coll.	M.f.coll.'	Dry woods.	S. Coll.	BB.f.coll.
Poa pratensis, L. B.f.coll.'	M.c.coll.	Dry woods and roadsides.	S. Coll!	BB.f.coll.

Triticum vulgare, L. - Short awned form.

Triticum ~~vulgare~~ sativum L. (T. sativum vulgare mitricum, Hack.) B. coll.

Poa serotina , Ehrh. Wet places.
B. M.c.coll. S. coll! BB.

Setaria glauca, Beauv. Near roadsides.
B.o.coll. M. S. BB.

Setaria viridis, Beauv. Roadsides.
B.o.coll.' M.o.coll." S. BB.

Sporobolus seretinus, Gray. Meadows.
B.o.coll." M.c.coll! S. BB.

Sporobolus vaginaeflorus, Vasey.
B.r.coll' M. S. BB.

Stipa avenacea, L. Slopes.
B.r.(Herb.JRC). M. S. BB.

130. Equisetaceae.

Equisetum arvense, L. Dry woodlands.
B.B. M.c. S. BB.c.coll.

Equisetum hyemale, L.
B. M.c. S. BB.c.(Herb.WB)

Equisetum limosum, L. Meadows and swamps.
B. M.r. S. BB.

Equisetum sylvaticum, L. Low woods.
B.r.coll.lf. M. S. BB.

131. Filices.

Adiantum pedatum, L. Among rocks in springy woodlands,
B.o.coll. M.o. S. BB.

Aspidium acrostichoides,, Swartz. Rocky woodlands.
B.f.coll.lf. M.f. S. BB.

Aspidium acrostichoides, Swartz. var.incisum, Gray.
B. M.r. S. BB.

Aspidium Boottii, Tuck. Woodland and swamps.
B. M.r. S. BB.

Aspidium cristatum, Swartz. Woodland and swamps.
B.o.coll M.c. S. BB.

Aspidium cristatum, Swartz. var. Clintonianum, Eaton. Woodland and swamp
B. M.r. S. BB.

Aspidium cristatum x marginale, Davenport. Swamps; near its parents.
B. M.r. S. BB.

Aspidium marginale, Swartz. Ledges.
B.f.coll. M.c. S.c. BB.c.

Aspidium Noveboracense, Swartz. Woods.
B.c. M.c.coll. S.c. BB.

Aspidium simulatum, Davenport. Low moist woodlands.
B.r.coll. M.? S. BB.

Aspidium spinulosum, Swartz. Swampy woodlands.
B.f. M. S. BB.

Aspidium spinulosum, Swartz. var. dilatatum, Hook. Woodlands and swamp
B.c. M.c. S. BB.

Aspidium spinulosum, Swartz. var. intermedium, Eaton.
B. M.c. S. BB.

Aspidium Thelypteris, Swartz. Swamps and woodland.
B.c.coll. M.f. S.c.coll. BB.c.

Asplenium ebeneum, Ait. Ledges.
B.f.coll. M.f.coll. S. BB.

Asplenium Filix-foemina, Bernh. Damp woods.
B.c.coll. M.c.coll.fr. S.c. BB.

Asplenium thelypteroides, Michx. Woodland swamps.
B.r. M.r. S. BB.

Asplenium Trichomanes, L. Rocky declivities.
B.c.(Herb.JRC). M.c. S. BB.

Cystopteris fragilis, Bernh. Stony brooks and ledges.
B.c. M.c.coll. S. BB.

Dicksoni pilosiuscula, Willd. Woodlands.
B.c.coll.lf. M.c.coll.lf.fr. S.c. BB.f.

Onoclea sensibilis, L. Woodland.
B.c.(Herb.JRC). M.c. S.c. BB.c.

Osmunda cinnamomea, L. Low woodland.
B.c. M.c. S.c. BB.c.coll.fl.

Osmunda Claytoniana, L. Low woodland.
B.c.(Herb.JRC). M.c. S.c. BB.

Osmunda regalis, L. Low woodland.
B.c.coll. M.c. S.c. BB.f.

Phegopteris Dryopteris, Fée. Woods.
B. M.r. S. BB.

Phegopteris hexagonoptera, Fée. Woodland ravines.
B.r.coll. M.r.coll. S. Bb.

Phegopteris polypodioides, Fée.
B.r.coll.lf. M.r. S. Ravines. BB.

Polypodium vulgare, L.
B.c. M.c. Ledges. S.c. BB.c.

Pteris aquilina, L.
B.c.coll. M.c. Woods. S.c. BB.c.

Woodsia Ilvensis, R.Br.
B.r.coll. M.f. Ledges. S. BB.

Woodsia obtusa, Torr.
B.c. M.r.coll.fr. Ledges. S. BB.

Woodwardia angustifolia, Smith.
B.r.coll. M. Low woodlands. S. BB.

Woodwardia Virginica, Smith.
B.c.coll.lf. M.c.coll.fr. Woodland swamps. S. BB.

I32. Ophioglossaceae.

Botrychium matricariaefolium, R.Br.
B.r. M.r. Moist woods. S. BB.

Botrychium ternatum, Swartz.
B.c. M.r. Low land and borders of woods and hillsides. S. BB.

Botrychium ternatum, Swartz. var. dissectum, Milde.
B.c.(Herb.JRC). M.c. Borders of woods. S. BB.

Botrychium ternatum, Swartz. var. obliquum, Milde.
B.c. M.c. Low land; hillsides. S. BB.

Botrychium Virginianum, Swartz.
B.r. M.r.coll.lf. S. BB.r.coll.lf.

I33. Lycopodiaceae.

Lycopodium clavatum, L.
B.c.coll.lf. M. Woods. S. BB.

Lycopodium complanatum, L.
B.c.coll. M.c. Dry woodland. S. BB.

Lycopodium lucidulum, Michx.
B.r.coll. M. Wet woodland in sphagnum. S. BB.

Lycopodium obscurum, L. var. dendroideum, D.C.Eaton.
B.c. M.c. Dry woodlands. S. BB.

I34. Selaginellaceae.

Isoetes echinospora, Durieu, var. Braunii, Engelm. Shall. w. waters.
B. M.r.(Herb.MI). S. BB.

Selaginella apus, Spring. Moist pastures, meadows.
B. M.r. S. BB.

Selaginella rupestris, Spring. Ledges.
B.f.(Herb.WD). M.f. S. BB.

BRYOPHYTES.

Musci.

Weisia viridula, Bridel.
B.c. M S.c. BB.

Dicranella heteromalla, Schimper.
B.c. M. S.c. BB

Dicranum montanum, Hedwig.
B.c. M. S.c. BB.

Dicranum flagellare, Hedwig.
B.c. M. S.c. BB.

Dicranum fulvum, Hooker.
B.c. M. S.c. BB

Dicranum fuscescens, Turner.
B.c. M. S.c. BB.

Dicranum scoparium, Hedwig.
B.c. M. S.c. BB.

Dicranum Schraderii, Web.& Mohr.
B.c. M. S.c. BB.

Dicranum spurium, Hedwig
B.r. M. S.r. BB.

Dicranum undulatum, Turner.
B.c. M. S.c. BB.

Fissidens taxifolius, Hedwig.
B. M. S.c. BB.

Fissidens osmundioides, Hedwig.
B. M r (Herb.HI).

Fissidens adiantoides, Hedwig.
B. M.c. S.c BB.

Conomitrium Julianum, Mont.
B. M. S. BB.r.

Leucobryum vulgare, Hampe.
B.c. M. S.c. BB.

Ceratodon purpureus, Bridel.
B.c. M. S c BB.

Pottia truncata, Fuern.
B.c. M c c BB

Leptotrichum vaginans, Lesq. &. James.
B.o. M. S.o. BB.

Leptotrichum tortile, Mueller.
B. M. S.o. BB.

Leptotrichum pallidum, Hampe.
B.f. M. S.f. BB.

Barbula unguiculata, Hedwig.
B. M. S.o. BB.

Barbula papillosa, Mueller.
B.r. M. S. BB.

Barbula caespitosa, Schwaegr.
B.o. M. S. BB.

Grimmia conferta, Funck.
B.c. M. S.c. BB.

Grimmia apocarpa, Hedwig.
B.c. M. S.c. BB.

Grimmia Olneyi, Sullivant.
B.r. M. S.r. BB.

Grimmia Pennsylvanica, Schwaegr.
B.c. M. S.c. BB.

Racomitrium Sudeticum, Br. &. Schimp.
B.o. M.o. S.o. BB.

Racomitrium aciculare, Bridel.
B.o. M. S.o. BB.

Hedwigia ciliata, Ehrh.
B.c. M.c. S.c. BB.

Drummondia clavellata, Hooker.
B.r. M. S. BB.

Ulota Ludwigii, Bridel.
B.c. M. S.c. BB.

Ulota crispula, Bridel.
B.r. M. S.r. BB.

Ulota Hutchinsiae, Schimper.
B.c. M.c. S.c. BB.

Orthotrichum cupulatum, Hoffm. var. minus, Sull.
B. M. S.r. BB.

Orthotrichum sordidum, Lesq. & James.
B.c. M. S.c. BB.

Orthotrichum strangulatum, Beauv.
J.o. M. S.o. BB.

Tetraphis pellucida, Hedwig.
B.c. L. S.c. BB.

Physcomitrium pyriforme, Bridel.
B.c. M.c. S.c. BB.

Funaria hygrometrica, Sibthorpe.
B.c. F. S.c. BB.

Bartramia pomiformis, Hedwig.
B.o. L.o. S.o. BB.

Philonotis fontana, Bridel.
B.o. M.o. (Herb.MI). S.o. BB.

Webera nutans, Hedwig.
B.c. L. S.c. BB.

Bryum caespiticium, L.
B.c. M. S.c. BB.

Bryum bimum, Schreber.
B.c. F. S.c. BB.

Bryum capillare, L.
B.c. F. S.c. BB.

Bryum pseudo-triquetrum, Schwaegr.
B.c. L. S.c. BB.

Bryum argenteum, L.
B.c. L. S.c. BB.

Bryum roseum, Schreber.
B.r. F. S.r. BB.

Mnium cuspidatum, Hedwig.
B.c. F. S.c. BB.

Mnium affine, Blend.
B.c. F. S.c. BB.

Mnium punctatum, Hedwig.
B.o. L. S.o. BB.

Mnium hornum, L.
B.c. F. S.c. BB.

Aulocomnium palustre, Schwaegr.
B.c. M. S.c. BB.

Aulocomnium heterostichum, Br. & Sch.
B.c. L. B.c. BB.

Atrichum undulatum, Beauv.
B.c. M. S.c. BB.

Atrichum angustatum, Br. & Schimp.
B.c. M. S.c. BB.

Pogonatum brevicaule, Beauv.
B.c. M. S.c. BB.

Polytrichum Onioense, Ren. & Card.
B.c. M. S.c. BB.

Polytrichum piliferum, schreber.
B.c. M. S.c. BB.

Polytrichum juniperinum, Willd.
B.c. M. S.c. BB.

Polytrichum commune, L.
B.c.(Herb.EFW). M. S.c. BB.

Diphyscium foliosum, Mohr.
B.c. M. S.c. BB.

Buxbaumia aphylla, L.
B.c. M. S.c. BB.

Fontinalis antipyretica, L. var. gigantea, Sull.
B. M. S.c. BB.

Fontinalis Lescurii, Sull.
B. M. S.c. BB.

Fontinalis Novae-Angliae, Sull.
B. M. S.c. BB.

Dichelyma pallescens, Br. & Schimp.
B. M. S.c. BB.

Leucodon julaceus, Sull.
B.c. M. S.c. BB.

Thelia hirtella, Sull.
B.c. M. S.c. BB.

Thelia asprella, Sull.
B.c. M. S.c. BB.

Leskea obscura, Hedwig.
B.c. M. S.c. BB.

Anomodon rostratus, Schimper.
B.c. M. S.c. BB.

Anomodon attenuatus, Hueben.
B.c. M. S. Bp.

Anomodon obtusifolius, Br. & Schimp.
B. M. S.r. BB.

Pylaisia intricata, Br. & Schimp.
B.c. M. S.c. BB.

Pylaisia velutina, Br. & Schimp.
B. M. S.c. BB.

Cylindrothecium seductrix, Sull.
B.c. M. S.s. BB.

Climacium Americanum, Bridel.
B.c. M. S.c. BB.

Hypnum (Thuidium) recognitum, Hedwig.
B.c. M. S.c. BB.

Hypnum (Thuidium) delicatulum, L.
B.c. M. S.c. BB.

Hypnum (Elodium) paludosum, Sull.
B. M. S.r. BB.

Hypnum (Brachythecium) laetum, Bridel.
B. M. S.r. BB.

Hypnum (Brachythecium) salebrosum, Hoffm.
B.c. M. S.c. BB.

Hypnum (Brachythecium) velutinum, L.
B.c. M. S.c. BB.

Hypnum (Brachythecium) rutabulum, L.
B.c. M. S.c. BB.

Hypnum (Brachythecium) Novae-Angliae, Sull.& Lesq.
B.c. M. S.c. BB.

Hypnum (Brachythecium) populeum, Hedwig.
B.c. M. S.c. BB.

Hypnum (Brachythecium) plumosum, Swartz.
B.c. M. S.c. BB.

Hypnum (Eurrhynchium) strigosum, Hoffm.
B.c. M. S.c. BB.

Hypnum (Eurrhynchium) Boscii, Schwaegr.
B. M. S.r. BB.

Hypnum (Rhynchostegium) serrulatum, Hedwig.
B.c. M. S.c. BB.

Hypnum (Rhyncostegium) rusciforme, Weis.
B. M. S.r. BB.

Hypnum (Thamnium) Alleghaniense, Mueller.
B. M.o. (Herb.MI). S.o. BB.

Hypnum (Amblystegium) radicale, Beauv.
B. M. S.c. BB.

Hypnum (Amblystegium) adnatum, Hedwig.
B. M. S.c. BB.

Hypnum (Amblystegium) riparium, L.
B.c. M. S.c. BB.

Hypnum (Harpidium) fluitans, L.
B.c. M. S.c. BB.

Hypnum (Ctenium) crista-castrensis, L.
B. M. S.r. BB.

Hypnum (proper) reptile, Michx.
B. M. S.c. BB.

Hypnum (proper) imponens, Hedwig.
B.c. M. S. BB.

Hypnum (proper) cupressiforme, L.
B.c. M. S.c. BB.

Hypnum (proper) curvifolium, Hedwig.
B. M. S.r. BB.

Hypnum (prpper) Haldanianum, Greville.
B.c. M. S.c. BB.

Hypnum (Calliergon) cordifolium,, Hedwig.
B.c. M. S.c. BB.

Hypnum (Calliergon) Schreberii, Willd.
B.c. M.c.(Herb.MI). S. BB.

Hypnum (Pleurozium) splendens, Hedwig.
B.r. M. S. BB.

Hypnum (Hylocymium) triquetrum, L.
B.r.v M. S. BB.

Hypnum denticulatum, L.
B. M.r.(Herb.MI). S. BB.

Hypnum orthocladon, Beauv.
B. M.r.(Herb.MI). S. BB.

Sphagnaceae.

Sphagnum Girgensohnii, Russow.
B.r. M. S. BB.

Sphagnum tenellum, von Klinggraeff.
B.c. M. S.c. BB.

Sphagnum acutifolium, (Ehrh.) Russ. & Warnst.
B.c. M. S.c. BB.

Sphagnum cuspidatum, (Ehrh.) Russ. & Warnst.
B.c. M. S.c. BB.

Sphagnum recurvum, (Beauv.) Russ. & warnst.
B.f. M. S.f. BB.

Sphagnum susecundum, Nees.
B.f. M. S.f. BB.

Sphagnum imbricatum, (Hornsch.) Russow.
B.c. M. S.c. BB.

Sphagnum cymbifolium, Ehrh.
B.c. M. S.c. BB.

Sphagnum medium, Limpricht.
B.c. M. S.c. BB.

Andreaeaceae.

Andreaea rupestris, Turner.
B.r. M. S.r. BB.

Andreaea petrophila, Ehrhart.
B.r. M. S. BB.

Hepaticae.

Madotheca platyphylla, Dumort.
B. M.r. S. BB.

Marchantia polymorpha, L.
B. M.c. S. BB.

Riccia natans, L. Stagnant water.
B. M.r. (Herb.MI). S. BB.

THALLOPHYTES.

Characeae.

Chara sejuncta, A.Br. Ponds.
B. M.r. (Herb.MI). S. BB.

Nitella gracilis, Ag. Ponds.
B. M.r. (Herb.MI). S. BB.

Nitella tenuissima, Kuetz. Ponds.
B. M.r. (Herb.MI). S. BB.

Lichens.

Cladonia cristatella, Tuck.		Ledges.	
B.o.	M.o.	S.	BB.
Cladonia furcata, (Huds.) Fr.			
B.	M.o.	S.	BB.
Cladonia gracilis, (L.) Nyl.			
B.r.(Herb.EFW).	M.	S.	BB.
Cladonia pyxidata, (L.) Fr.			
B.	M.o.	S.	BB.
Cladonia uncinalis, (L.) Fr.			
B.	M.o.	S.	BB.
Umbilicaria Dillenii. Tuck.		Moist edges.	
B.	M.f.	S.	BB.
Umbilicaria pustulata, (L.) Hoffm.			
B.	M.r.	S.	BB.